

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)

PCT

(10) International Publication Number  
**WO 2004/026888 A2**

(51) International Patent Classification<sup>7</sup>: **C07H**  
(21) International Application Number:  
PCT/US2003/029577  
(22) International Filing Date:  
19 September 2003 (19.09.2003)  
(25) Filing Language: English  
(26) Publication Language: English  
(30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US

(71) Applicants (for all designated States except US): COLEY PHARMACEUTICAL GMBH [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). UNIVERSITY OF SASKATCHEWAN [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). QIAGEN GMBH [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).


(72) Inventors; and  
(75) Inventors/Applicants (for US only): LIPFORD, Grayson, B. [US/US]; 38 Bates Road, Watertown, MA 02472 (US). MOOKHERJEE, Neeloffer [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). BABIUK, Lorne [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). BROWNIE, Robert [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). GRIEBEL, Philip [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). MUTWIRI, George [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). HECKER, Rolf [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).

(74) Agent: STEELE, Alan, W.; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).

(81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.

BEST AVAILABLE COPY



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— *without international search report and to be republished upon receipt of that report*

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory  
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune  
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)  
*Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for  
biological activity and it is reported that optimal CpG DNA sequences can vary among  
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.  
10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.  
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9  
recognizes CpG DNA is not understood.

### Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal  
in response to CpG DNA. To date, the amino acid sequences only of human and murine  
TLR9 have been reported, and, interestingly, these two species are known to prefer different  
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet  
been fully elucidated. The instant invention provides, in part, novel amino acid and  
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are  
useful for elucidating certain key structural features of TLR9. Specifically, comparison of  
sequences of murine, human, and these novel TLR9 sequences permits identification of areas  
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In  
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9  
25 molecules of the various species, as well as an assessment of inter-species homologies.  
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9  
that may be involved in the CpG binding site, as well as amino acids involved in conferring  
species specificity for particular CpG motifs. Such information may be used to design and  
construct novel TLR9 molecules which incorporate specific point or regional mutations and  
30 which possess desired ligand binding characteristics. Such information may also be useful in  
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
pathway is measured quantitatively and the response mediated by the TLR9 signal  
transduction pathway associated with each of the plurality of test compounds is compared  
with a response arising as a result of an interaction between the functional TLR9 and a  
reference immunostimulatory compound.

15

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
(porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
features of the primary sequences of these and related TLR molecules, including previously



- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

- 9 -

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 HHLHNLDFVHLPNVRQLNLKWNCPPLGLSPLHFSRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 5 SHTNIVLVDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSIRMLDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSHSLN  
 SKWFQGLANLSVLDLSENFYIESINKTSAFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVPW  
 10 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDVSSNPLHCACGAPFVDLLELVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGSLSL  
 15 AVAVGTVLPLQLHLCGWDVWYCFHLCLAWPLLLTRGRSAQALPYDAFVVDKAQSAVADWVYNELRVRLERRG  
 RRALRLCLEDRDWLPQGLTFENLWASIYGRKTLFVLAHTDKVSGLLRTSFLLAQQRLLLEDKDDVVLVILRPDA  
 HRSRYVRLRQLRCQSVLFWPHQPNQGGSFWAQLSTALTRDNHHFYNNRNFRCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 20 HHLHNLDFVHLPNVRQLNLKWNCPPLGLSPLHFSRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNIVLVDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSIRMLDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSHSLN  
 SKWFQGLANLSVLDLSENFYIESINKTSAFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 25 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVPW  
 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSQNKHLILRPQNLNLYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 30 MNLTVLDVSSNPLHCACGAPFVDLLELVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG

## SEQ ID NO:3 (Rat TLR9)

atgggtctctgtgcgcaggaccctgcaccccttgctctctcctggtacaggccgcagtgctggctgaggctctggcc  
 ctgggtaccctgcctgccttctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
 aagtctgtgcctcacttctctgcgcgagaacccggtcccaacatcaccagcctttccttgatcgccaaccgcatc  
 35 caccacctgcacaacctcgactttgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
 cctggcctcagcccttgcaacttctcctgcccgcagatgaccattgagcccaaaccttctggctatgcgcagctg  
 gaagagctgaacctgagctataacgggtatcaccactgtgccccgctgcccagctccctgacgaatctgagccta  
 agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
 40 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttctgggcttgagcaac  
 ctccaccactgtcccttaagtataacaacctcacagaggtgccccgcaactgccccagcctggagtagctc  
 ctgctgtcctataacctcatcgtaagctggggcggaagacctagccaacctgacctcccttcgaatgcttgat  
 gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgcccggcagaagtcccttgatctg  
 caccctcagactttccatcacctgagccaccttgaaaggcctggctgaaggacagttctctccactcgctgaac  
 45 tccaagtgggtccagggtctggcgaacctctgggtgctggacctaaagcgagaactttctctacgagagcatcaac  
 aaaaccagcgctcttccagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
 ttgccccgctccacctggcaagttccttcaagagcctgggtgctgctgcaggagctgaacatgaacggcatcttc  
 ttccgcttactcaacaagaacacgctcaggtggctggctggctgcccagctccacacgctgcaccttcaaatg  
 aatttcatcaaccaggcgcagctcagcgtctttagtaccttccgagccttccgcttgggacctgtccaataat  
 50 cgcacagcggcctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggaagggggttccatgg  
 cctgcaagtctcaccacagctctcccagcactcccgctctcaagaacttcatggctcaggtgtaagaacctcaga  
 ttccacatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
 tgtctgagcctgagccacaactgcatcgcgaggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
 gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctccacaggtgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggatagggccacaacttcagttttctggccaatctg  
tcagggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcagtggtggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc  
ttctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcgggtgcaccctttgtagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcaggccgc  
agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg  
gctgtggccgtgggacgggtgttgcctttactgcagcatctctgcggctgggacgtctggtactgtttccatctg  
tgcttggcatggctacctttgctgacctgtggcggcgagcgcccaagctctcccttatgatgccttcgtgggtg  
ttcgataaggcgagagcgcggttgcgtgactgggtgtataacgagcttcgagtgccggttagaggagcgcgcggt  
15 cgccgagccctacgttgtgtctggaggaccgagatggctgcctggccagacactcttcgagaacctctgggccc  
tccatctatggcagccgcaagactctgtttgtgctggccacacggaacaaggtcagtggtgctcctgcgcaccagc  
ttctgctgggtcagcagcgccctgctggaggaccgcaaggacgtgggtggtgtggtgatcctgcgcctgatgcc  
caccgctcccgctacgtgcgactgcgccagcgccctctgcgccagagtgctgtcttctggccccatcagcccaac  
gggcagggcagcttctgggcccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc  
20 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atgggtctctgtcgcaggacctgcaccccttgtctctcctggtagaggccgcagtgctggctgaggctctggcc  
ctgggtaccctgcctgccttccctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
25 aagctgtgctcacttctctgcgcgagaacccccgttccaacatcaccagcctttccttgatcgccaaccgcac  
caccacctgcacaacctcgactttgtccacctgcccacgtgcgacagctgaacctcaagtgaactgtccgccc  
cctggcctcagccccctgcaacttctcctgcgcgcatgaccttgagcccaaaccttccctggctatgcgcatctg  
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgcccagctccctgacgaatctgagccta  
agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctctcatggac  
30 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttccctgggcttgagcaac  
ctcaccacttgtcccttaagtataacaacctcacagaggtgccccgcgaactgccccccagcctggagtagctc  
ctgctgtcctataacctcatcgtcaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattgcccgtcgtgtgatcacgccccgacctctgtacagaatgcccgcagaagttcccttgatctg  
caccctcagactttccatcacctgagccacctgaaggcctgggtgctgaaggacagttctctcactcgctgaac  
35 tccaagtggttcagggtctggcgaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac  
aaaaccagcgctttcagaacctgacctgctgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
ttcgcccgctccacctggcaagttccttcaagagcctgggtgctcgctgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcagggtggctggctgtctgcccaagctccacacgctgcaccttcaaatg  
aatctcatcaaccaggcgagctcagcgtctttagtaccttccgagcccttcgctttgtggacctgtccaataat  
40 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaagggggttccatgg  
cctgcaagtctcaccaccgctctcccgagcctcccgctctcaagaacttcagggtcagggtgaagaacctcaga  
ttcacctaggacctgtctcggaacaaccagggtgactatcaagccagagatgttcgtcaacctctccatctccag  
tgtctgagcctgagccacaactgcacgcaggctgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctcccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggatagggccacaacttcagttttctggccaatctg  
tccaggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcagtggtggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctcccaagagcctgacgaagctgagtttccgtgacaatcacctctcttctttaactggagcagctctggcc  
50 ttctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcgggtgcaccctttgtagacttactg  
ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcaggccgc  
55 agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc

- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELOPHGLVNCNWFLKSVPHFSAAAPRANVTSLSLLSNRIH  
 HLHDSDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
 RTNIVLDPHTLTGLHALRYLYMDGNCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTLTPVPSLPPSLETLL  
 5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDSSLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRLSLNLSFNHYHKKVSFAHLHLAPSFGLHLSRLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVLPSR  
 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
 10 DLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 ALDFSGNDLSRMWAEGLDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNLAFFNWSSLTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRDLDSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVLVDVSANPLHCACGATFVGFLLEVQAAVPGLP SRVKCGSPGQLQGH SIFAQDLRLCLDETL SWNCFGISLLAM  
 ALGLVVPMLHHL CGWDLWYCFHLCLAWLPHRGQRGADALFYDAFVVDKAQSAVADWVYNELRVQLEERRRRA  
 15 LRLCLEERDWPGLKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLL EDRKDVVVLVILRPDAYRS  
 RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHFFYNRNFCRGPTTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELOPHGLVNCNWFLKSVPHFSAAAPRANVTSLSLLSNRIH  
 HLHDSDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
 20 RTNIVLDPHTLTGLHALRYLYMDGNCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNNTLTPVPSLPPSLETLL  
 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDSSLYNLDT  
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRLSLNLSFNHYHKKVSFAHLHLAPSFGLHLSRLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVLPSR  
 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
 25 DLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 ALDFSGNDLSRMWAEGLDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNLAFFNWSSLTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRDLDSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVLVDVSANPLHCACGATFVGFLLEVQAAVPGLP SRVKCGSPGQLQGH SIFAQDLRLCLDETL SWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcaactgtagctgctgcccggctctgccagccagacccttggagaagacccccactccctgt  
 catgggcccccgctgcaccctgcacccctttctctcctgtgagctgcaggtgacagcgtggtgctgcggctctggccca  
 gggcaggtcctgcctcctcctgcctgtgagctgcagcccaacggcctggtgaactgcaactgctcctcctgaa  
 gtccgtgccccactctcggcgccagcgcggcgcccaacgtcaccagcctcctcctactctcgaacgcaccca  
 35 ccacctgcacgactccgacttcgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
 tggcctcagcccatgcaacttcccctgccacatgaccatcgagcccaacaccttctggtgctgcccacccctgga  
 ggagctgaacctgagctacaacagcatcacgacgtgctgcccctgcccactcctcgtgctcctgtcgctgag  
 ccgacccaacatcctggtgctagaccccaacacctcactggcctacatgcccctgcgctacctgtacatggatgg  
 caactgctactacaagaacccctgccagggggcgctggaggtggtgcccgggtgccctcctcgccctgggcaacct  
 40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgct  
 gttgtcctacaaccacattgtcaccctgacgcttgaggacctggccaatctgactgcccctgcgctgcttgatgt  
 gggggggaactgcccgcgctgtgaccatgcccgaacccctgcagggagtgcacaaaggaccaccccaagctgca  
 ctctgacaccttcagccacctgagccgcctcgaaggcctggtgtgaaagacagttctctctacaacctggacac  
 caggtggttccgaggcctggacaggtccaagtgtgacctgagtgagaacttctctacgactgcatcaccac  
 45 gaccacggccttccagggcctggcccgactgcgcagcctcaacctgtccttcaattaccacaagaagggtgtcctt  
 tgcccacctgcacctggcaccctccttgggcacctccggtccctgaaggagctggacatgcatggcatcttctt  
 ccgctcgtcagtgagaccagctccaacctctggtccaactgcctatgctccagacctgcgctgcagatgaa  
 cttcattaaccaggcccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacacg  
 catcagcggagctgcaaggccagtgccattactaggaggtggatggtaggagaggggtctggtgcttccag  
 50 gaacctcgtccacgtccactggacactctccgctcagaggacttcatgccaaactgcaaggccttcagcttcac  
 cttggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgccctctcacgcctcgagtgcct  
 gcgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgctgcgctgaccagcctgcgggtgct  
 ggacctgtcccacaacagctggacctgtatcacggcgctcggttcacggagctgcccgcctggaagcactgga  
 cctcagctacaatagccagcccttaccatgcagggtgtgggccacaacctcagcttctggtggccagctgcccgc

- 12 -

cctgcgctacctcagcctggcgacacaatgacatccatagccgagtggtcccagcagctctgtagcgcctcactgtg  
cgccctggacttttagcggaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg  
cctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgacctggacaacct  
5 ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
gccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
ccagctgcccagggtggacctcagtggaacagcatcggtttgtgaacctggccttcttggccctggccaagca  
gttagaagagctcaacctcagcgccaatgcccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaa  
cctgaagtcctagacgtgagcgccaacctctgcactgtgacctgtggggcgaccttctgtgggttctctgtgga  
10 ggtacaggctgcccgtgacctgggctgccagcgcgtcaagtgtggcagtcggggcagctccagggccatagcat  
cttggcgcaagacctgcgcctctgacctggatgagacctctcgtggaactgttttggcatctcgtgctggccat  
ggccctgggctgggttctgcccctgtgcaccacctctgcggctgggacctctggtactgcttccacctgtgacct  
ggcctggctgccccaccgagggcagcggcgggggcgagacgacctgttctatgatgccttctgtggtctttgacaa  
agctcagagtgctgtggccgactgggtgtacaacgagctgcccgtgacgtggaggagcgcctggggcgccgcgc  
actgcgcctgtgacctggaggagcgagactgggtacctggcaagacgctcttcgagaacctgtgggacctcagtcta  
15 cagcagcgcgaagacctgttctgtctggcccacacggacctgtcagcgacctcttgcgtgccagtttctgtct  
ggccacgacgcctgtgaggagaccgcaaggactgttagtgctgggtgatcctgcgccccgacctaccgctc  
ccgtactgtgcccgtgcgccagcgcctctgcgccagagtgtcctcctctggccccaccagccccgtggcgagg  
cagcttctggggccagctgggacagccctgaccagggacaaccaccttctataaccggaacttctgcccggg  
20 cccacgacagccgaatagcactgagtgcagcggcagtgccccagccccctggatttgcctctctgctgggg  
tgcccaacctgcttctgtcagccacacctgctctgctcctgttccccacccccccccagcctggcatgt  
aacatgtgccaataaatgctaccggaggggccaagaaaaaaaaaaaaaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atggggcccccgctgcacctgcaccccccttctctcctgggtgcaggtgacagcgtggctgcccgtctggcccag  
25 ggcaggtgccttgccttgcctgtgagctccagccccacggcctgggtgaactgcaactggctcttctctgaag  
tccgtgccccacttctcggcgagcgcgccgggccaacgtcaccagcctctccttactctccaaccctccac  
cacctgcacgactccgacttgcctccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggct  
ggcctcagccccatgcacttcccctgccacatgacctcgagcccaacaccttcttggccgtgccacctggag  
30 gagctgaacctgagctacaacagcatcagacccgtgcctgcccactcctcgtgtcctgtcgtgagc  
cgacccaacatcctggtgctagacccccacacctcactggcctacatgcctgcgctacctgtacatggatggc  
aactgctactacaagaaccttgcagggggcgctggaggtgggtgcccgggtgccctcctcgccctgggcaacctc  
acacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgtgt  
ttgtcctacaaccacatgtgcacctgagcctgaggacctggccaatctgactgacctgcccgtgcttgatgtg  
35 ggggggaactgcccgcgctgtgacctgcccgcacccccctgcagggagtgcacaaaggaccaccccaagctgcac  
tctgacaccttcagccacctgagccgcctcgaaggcctgggtgtgaaagacagttctctctacaacctggacacc  
aggtggttccgaggcctggacaggctccaagtgtggacctgagtgaacttctctacgactgcacaccaag  
accacggccttccagggcctggcccagctgcgcagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
gcccacctgcacctggcacctccttgggcacctccggtccctgaaggagctggacatgcacatgcatcttctc  
40 cgctcgtcagtgagaccagctccaacctctgggtccaactgcctatgctccagacctgcgctgcagatgaac  
ttcatttaaccaggccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacccgc  
atcagcggagctgcaaggccagtgccattactaggagggtggatggtagggagagggtctggctgccttccagg  
aacctcgtctccagctccactggacactctccgctcagaggacttcatgcccactgcaaggccttcagcttcacc  
ttggacctgtctcggaacaacctgggtgacaatccagtcggagatgttctgctgcctctcacgcctcagtgacct  
45 cgctgagccacaacagcatctcccaggcggctcaatggctctcagtttgtgcgctgaccagcctgcccgtgctg  
gacctgtcccacaacagctggacctgtatcacggcgctcgttcacggagctgcccgcctgggaagcactggac  
ctcagctacaatagccagccctttaccatgcagggtgtggggccacaacctcagcttctgtggccagctgcccgc  
ctgcgtacctcagcctggcgacacaatgacatccatagccagtgctccagcagctctgtagcgcctcactgtgc  
50 gccttggacttttagcggaacgatctgagccggatgtgggtgagggtgagggagacctctatctccgtcttccaaggc  
ctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgcccctggacaacctc  
cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
cccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
cagctgcccagggtggacctcagtggaacagcatcggttctgtgaacctggcttcttggccctggccaagcag  
ttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtggcaca  
55 gtacaggctctgagcctgggtgcccagcgcgctcaagtgtggcagtcggggcagctccagggccatagcatc  
tttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggc

- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
5 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCCPRALEVAPGALLGLGNLTHLSLKYNNTLTPVPRRLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSLSLRLEGLVLKDSLSLYKLEK  
DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
RSLTNTITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
GLAPGPLDAVSSKDFMPSCNLFNTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
10 LSHNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVP  
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
KILDVSANPLHCACGAAFVDLFLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGSLLMVA  
LGLAVPMLHHLGWDLYCFHLCLAHLPRLRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRGRRAL  
15 RLCLBERDWLPGKTLFENLWASVYSSRKTMTFVLDHTDRVSGLLRASFLLAQQRLLEDKRDVVLVILRPAAYRSR  
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNRHFYNRNFCRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
20 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCCPRALEVAPGALLGLGNLTHLSLKYNNTLTPVPRRLPPSLDTLL  
LSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSLSLRLEGLVLKDSLSLYKLEK  
DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
RSLTNTITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
GLAPGPLDAVSSKDFMPSCNLFNTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
25 LSHNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVP  
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
KILDVSANPLHCACGAAFVDLFLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG  
30

## SEQ ID NO:11 (Bovine TLR9)

gggaagtggcgccaagcatccttcctgcagctgcctcccaacctgcccgcagaccctctggagaagccgcat  
tcctgtcatgggcccctactgtgccccgcaccccccttctctcctggtgcaggcggcgactggcagcgccc  
tgccgagggcaccctgcctgccttcctgcctgtgagctccagcccatggcaggtggactgcaactggctgt  
35 tcctgaagtctgtgccgcacttttcggctggagcccccgggccaatgtcaccagcctctccttaatctccaacc  
gcatccaccacttgcatgactctgacttcgtccacctgtccaacctgcccgtcctcaacctcaagtggaaactgcc  
cgccggcgccgctcagccccatgcacttccttcctgcctgacccatcgagcccaacaccttcctggctgtgccca  
ccctggaggagctgaacctgagctacaacggcatcacgaccgtgcctgcccagttccctcgtgtccctgt  
cgctgagccacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgccctgcgctttctgtaca  
40 tggacggcaactgctactacatgaaccctgcccggggccctggaggtggccccaggcgccctcctcgccctgg  
gcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggaca  
ccctgtgctgtcctacaaccacattgtcacctggcaccggaggaacctggccaacctgactgccctgcgctgtc  
ttgacgtgggtgggaactgcgcgcgtgcgaccatgcccgcaaccctgcagggagtgcccaagaacttccca  
agctgcaccctgacaccttcagtcacctgagccgcctcgaaggcctggtgttgaggacagttctctctacaac  
45 tagagaaagattggttcggcgccctggcgaggtcccaagtcctcgacctgagtgagaacttcctctatgactaca  
tcaccaagaccaccatcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagg  
tgtccttcgcccacctgcacctagcgtcctcctttgggagctctggtgtccctggagaagctggacatgcacggca  
tcttcttcgctcctcaccacatcacgctccagtcgctgaccggctgcccagctccagagctctgcatctgc  
agctgaacttcatcaaccaggccagctcagcatcttggggccttcccgagcctgctcttcgtggacctgtcgg  
50 acaaccgcatcagcggagccgcgacgccagcgcccgccctgggggaggtggacagcaggggtggaagtctggcgat  
tgcccaggggctcgtccaggcccgctggacggcgtcagctcaaaggacttcatgccaaagctgcaacctcaact  
tcacctggacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgccctccagt  
gcctgcgctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcgctgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcac  
tggacctcagctacaacagccagcccttcagcatgcatgggcgctgggccacaacctcagcttcgtggccagctgc  
cctccctgcgctacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcgctcgt  
5 tgcgcgacctggacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctgcttttcoa  
aaggcttgaggaaacctgggtccagctggacctgtccgagaacctctgcacaccctcctgcctcgtcacctggaca  
acctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tcctgccccggtggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcccgtg  
gcatccggtccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcga  
10 ctcggtgatagacttaacctcagcgccaatgcctgaagacagtggtatccctcctgggttcgttccctagcag  
ggacctgaaaatcctagacgtgagcgcccaacctccacatgcgctgcggggcgccctttgtggacttctctgc  
tggagagacaggagcgctgccccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggggccgca  
gcatcttcacacaggacctgcccctctgctggatgagacctctccttggactgctttggcctctcactgctaa  
tgggtggcgctgggctggcagtgccatgctgcaccacctctgtggctgggacctctggtactgcttccacctgt  
15 gtctggcccatttgccccagcgcgcgccgagcgggcgaggacacctgctctatgatgccgtcgtggctctcgc  
acaagtgccagagtgcagtggtgattgggtgtacaacgagctccgctgcagctggaggagcgccggggcgcc  
ggcgctccgctctgctggaggagcagactggctccctggtaagacgctcttcgagaacctgtgggctcgg  
tctacagcagcgcaagacctgttcgtgctggaccacagcgggtcagcgccctcctgcgcgccagcttcc  
tctggccagcagcgctgttggaggaccgcaaggacgtcgtagtgctgggtgatcctgcccccgccgctatc  
20 gggtccgctacgtgcggctgcccagcgctctgcccagagcgtcctcctctggccccaccagccagtggtg  
agggtagtttctgggccaacctgggcatagccctgaccagggacaacctgcactctataaccggaacttctgccc  
ggggccccacgacagccgaatagcacagagtgcctccag

## SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcacccccctttctctcctgggtgcaggcgggcgccactggcagcgccctggccgag  
25 ggcacctgcctgccttctgcctgtgagctccagcccatgggtcaggtggactgcaactggctgttctgaag  
tctgtgcccgaacttttcggctggagcccccgggccaatgtcaccagcctctccttaactctccaaccgcatccac  
cacttgcatgacttgcctcactgtccaaactgcgaacctgcgggtcctcaacctcaagtggaaactgcccgcggcc  
ggcctcagccccatgcacttcccctgcccgtatgaccatcgagcccaacaccttcttggtgtgcccacctggag  
30 gagctgaacctgagctacaacggcatcacgacgctgctgcccagttccctcgtgtccctgtcgctgagc  
cacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctgcgcttctgtacatggacggc  
aactgctactacatgaaccttgcgcggggccctggaggtggccccagggcgccctcctcggcctgggcaacctc  
acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg  
ctgtcctacaaccacattgtcaccctggcaccggagacctggccaacctgactgcccctgcgcgtgcttgacgtg  
35 ggtgggaactgcgcgctgcgacctgcgacctgcccgaacctgcaggagtgcccaaagaacttcccaagctgcac  
cctgacaccttcagtcacctgagccgctcgaaggcctgggtgtgaaggacagtctctctacaaactagagaaa  
gattgggttccgcggcctgggaggtcctcaagtgtcgacctgagtgagaacttccctctatgactacatcaccaag  
accacctcttcaacgacctgaccagctgcgcgagactcaacctgtccttcaattaccacaagaaggtgtccttc  
gccccacctgcacctagcgtcctccttgggagtcgtgtcctggagaagctggacatgcacggcatcttcttc  
40 cgctccctcaccacatcacgctccagtcgctgaccggctgcccagctccagagctcagatctgcagctgaac  
ttcatcaaccaggcccagctcagcatcttggggccttcccagcctgctctcgtggacctgtcggacaaccgc  
atcagcggagccgcgacgcccagcgccctggggaggtggacagcaggggtggaagtctggcgattgcccagg  
ggcctcgtccaggcccgctggacgcccgtcagctcaaaggacttcagccaagctgcaacctcaactcaccttg  
gacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgcctccagtgctgcgc  
45 ctgagccacaacagcatctcgcagcggttaatggctcccagttcgtgcccgtgaccagcctgcgagtgctcgac  
ctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgcccagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggcccagctgcccctcctg  
cgctacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcctcgttgcgcgcc  
ctggacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctgcttttcaaaggcttg  
50 aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc  
aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccgtcctgccc  
cggctggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcccgtggcatccgg  
ctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcgactcggtg  
atagagcttaacctcagcgccaatgcctgaagacagtggtatccctcctgggttcgttccctagcagggacctg  
55 aaaatcttagacgtgagcgccaaccgctccactgcgctgcggggcgcccttgggtggacttctgctggagaga  
caggaggcctgcccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggggcgagcatcttc  
acacaggacctgcgcctctgctggatgagacctctccttggactgctttggc



- 15 -

## SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
5 SRTNQLDPTSLTGLHALRFLYMDGNCYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSPGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
10 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLTLLPCTLGNLPKSLQLLRRLNNYLAFFNWSSITL  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSPANPLHCACGAAFVDLQVQAAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
VALGLAMPMLHHLGWDLYCFLGLAWLPRRGWQADALS YDAFVVDKAQSAVADWVYNELRVRLEERRGR  
15 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQORLLEDKDVVVLVILSPDARR  
SRYVRLRQRLCRQSVLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNF CRGPTMAE

## SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
20 SRTNQLDPTSLTGLHALRFLYMDGNCYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSPGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
25 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLTLLPCTLGNLPKSLQLLRRLNNYLAFFNWSSITL  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSPANPLHCACGAAFVDLQVQAAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG  
30

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgctgaaggactgcgagcacaagcatcctcctctgcagctgctgccagtg  
tgccagctggaccctctggatcatctccactcctgtcatggcccttgccatggtgccctgcagccctgtct  
ctcctggtgcaggcgccatgctggcgtggtcttgcccaaggcaccctgcctcccttctgacctgtgagctc  
35 cagccccacggcctggtgaactgcaactggctgttctggaagtccgtgccccacttctcagcagcagcaccgg  
gacaatgtcaccagccttctctgctctccaaccgcatccaccactccagactccgactttgcccactgtcc  
aacctgcagaaactcaacctcaaatggaactgcccgcagccggcctcagccccatgcacttcccctgccacatg  
accatcgagcccaacacttctctggtgtaccaccctggaggagctgaacctgagctacaacggcatcacgact  
gtgctgcccctgccagctccctctgctccctgatcctgagcgcaccaacatcctgcagctagacccaccagc  
40 ctacgggctgcatgcccctgcgcttctctatacatggatggcaactgctactacaagaacctctgcgggctggcc  
ctggagggtggccccaggcgccctccttgccctgggcaacctcaccacctgtcactcaagtacaacaacctcaca  
acgggtgccccgcagctgccccctagcctggagtagctgtgtgtcttacaaccacattgtcaccctggcacct  
gaggacctggccaatctgactgcccctgcgtgtgctcgatgtgggtggaaactgcgcgcgctgtgacctgcacgc  
aacccctgcgtggagtgccacataaattccccagctgcactccgacacctcagccacctaagccgcttagaa  
45 ggctcgtgttgaaggatagttctctctaccagctgaacccagatggttccgtggcctgggcaacctcacagt  
ctcgacctgagtgagaacttctctacgactgcacaccaaaggcattccagggtggtggccagctgcga  
agactcaactgtctctcaattaccataagaagggtgctcttgcgccacctgacgtggcaccctccttggggagc  
ctgctctccctgcaggaactggacatgcatggcatcttcttccgctcactcagccagaagacgtccagccactg  
gcccgcctgcccctgctccagcgtctgtatctgcagatgaacttcatcaaccaggccagctcgccatcttcaag  
50 gacttccctggtctgcgtacatagacctgtcagacaaccgcatcagtgaggctgtggagccggtggccaccaca  
ggggagggtggatggtgggaagaaggctggtgcatccaggacactcactccaggccactggacacccccagc  
tctgaggacttcatgccaagctgcaagaacctcagcttcacctggacctgtcacggaacaacctggtaacagtc  
cagccagagatgtttgcccagctctcgccctccagtgctgcgctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtccataacaaactggacctgtaccat  
gggcgctcgtttacggagctgcccgcactggaggcctggacctcagctacaacagccagcccttcagcatgagg  
gggtggggccacaacctcagctttgtggccagctgcccaccctgcgctacctcagcctggcacacaatggcatc  
cacagccgtgtgtcccagcagctctgcagcacctcgctgtgggcccctggacttcagcggcaattccctgagccag  
5 atgtgggtgagggagacctctatctccgcttcttccaaggcctgagaagcctaattccggctagacctgtcccag  
aatcgtctgcataccctcctgccatgcaccctgggcaacctccccaaagagcttgcagctgctgctctccgtaac  
aattacctggccttcttcaattggagcagcctgacctcctgcccaacctggaaacctggacctggctggaaac  
cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacgtcagcagggaacagc  
atcatcttcgtgggtccctggcttcttctgtctggccacgaggctgcgagagctcaacctcagtgccaacgcccctc  
10 aggcagagaggacctcctgggttgggttctctagcaggctcccttgaagtcctagatgtgagcgccaacctctg  
cactgcgctgtggggcagccttctgtggacttccctgctgcaggttcaggctgcccgtgctggctgtgccagccgc  
gtcaagtgtggcagtcggggccagctccaggccgcagcatcttcgcacaagacctgcgctctgctggacaag  
tccctctcctgggactgttttgggtctctcattgctgggtgtggccctgggctggccatgcctatgttgaccac  
ctctgcccgtgggacctctgggtactgcttccacctgggctggcctggctgccccggcggggtggcagcggggc  
15 gcggtatgccctgagctatgatgccttctgtgggtcttcgacaaggcacagagcgagtgccgactgggtgtacaat  
gaactgcgggtgcccgttagaggagcgccgtggcgccggcgctccgctgtgtctggaggagcgtgactggcta  
cctggcaagacgctgttcgaaaacctgtgggcccctcagctctacagcagcgcaagatgctgttctgtgctggccac  
acggaccaggtcagtgccctcttgcgtgcccagcttccctgctggcccagcagcgtctgctggaggaccgcaaggac  
gttgtgggtgctggtaatcctgagccctgacgcccgcgcttcccgctacgtgcccgtgcccagcgccctctgcccgc  
20 cagagtgtcctctctgccccaccagcctagtggccagcgcagcttctgggcccagctaggcatggccctgacc  
agggacaaccgcccacttctataaccagaacttctgcccggggcccgacgatggctgagtagcacagagtgcagcc  
tggcatgtacaacccccagccctgacctgacctctctgcctatgatgccagctctgacctcactctgtgacgccc  
tgctctgctccgccaccctcaccctggcatacagcaggcactcaataaatgccactggcaggccaaacagcca  
aaaaaaaaaaaaaaaa

25

## SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatgggtgcctgcagcccctgtctctcctgggtgcaggcggccatgctggcctggctctggcc  
caaggcacccctgcctcccttccctgcctgtgagctccagccccacggcctgggtgaactgcaactggctgttccctg  
aagtccgtgccccacttctcagcagcagcaccgggacaatgtcaccagccttccctgtctctccaaccgcatc  
30 caccacctccacgactccgactttgcccactgtccaacctgcagaaactcaacctcaaatggaactgcccggca  
gcccgcctcagccccatgcacttccctgcacatgaccatcgagcccaacacttctcctggctgtaccacctctg  
gaggagctgaacctgagctacaacggcatcacgactgtgcctgcccagctccctcgctgtccctgactcctg  
agccgcaccaacatcctgcagctagacccaccagcctcacgggcccctgcagcctgcgcttccctatacatggat  
ggcaactgtctactacaagaacctgcgggcccctggagggtggccccaggcgccctccttggcctgggcaac  
35 ctacccacctgtcactcaagtacaacaacctcacaacgggtgcccgcagcctgccccctagcctggagtacctg  
ctgttgcctacaaccacattgtcacccctggcacctgaggacctggccaatctgactgcccctgctgtgctcgat  
gtgggtggaaactgcccgcgctgtgacctgcacgcaacctgctgaggagtgcccacataaatccccagctg  
cactccgacaccttcagccacctaaagccgctagaaggcctcggttgaaggatagttctctctaccagctgaac  
cccagatgggttccgtggcctgggcaacctcacagtgtcgacctgagtgagaacttccctctacgactgcacacc  
40 aaaaccaaggcattccaggcctggcccagctgcgaagactcaactgtccttcaattaccataagaagggtgtcc  
ttcgccacctgacgctggcaccctcctcgaggacctgctctccctgcaggaaactggacatgcattggcatcttc  
ttccgctcactcagccagaagacgctccagccactggcccgcctgcccctgctccagcgtctgtatctgcagatg  
aacttcatcaaccaggcccagctcggcatcttcaaggacttccctgggtctgcgtacatagacctgtcagacaac  
cgcatcagtgaggctgtggagccgtggccaccacaggggaggtggatgggtgggaagaaggctcggctgacatcc  
45 agggacctcactccaggcccactggacacccccagctctgaggacttcagtgccaagctgcaagaacctcagcttc  
accttggacctgtcacggaacaacctggtaacagtccagccagagatgtttggccagctctcgcgcccctcagtg  
ctgcccctgagccacaacagcatctcgaggcggtcaatggctcacagttcgtgccactgaccagcctgcaggtg  
ctggacctgtcccataaacaactggacctgtacctggggcgctcggttacggagctgcccgcactggaggccctg  
gacctcagctacaacagccagcccttcagcatgcgggtgtggggccacaacctcagctttgtggcccagctgccc  
50 acctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagctctgcagcacctcgctg  
tgggcccctggacttcagcggcaattccctgagccagatgtgggctgaggagacctctatctccgcttcttccaa  
ggcctgagaagcctaattccgcttagacctgtcccagaatcgctctgcataacctcctgcatgcacctgggcaac  
ctccccaaagagcttgagctgctgctctccgtaacaattacctggccttcttcaattggagcagctgacctc  
ctgcccacacctggaaacctggacctgggtggaaacctcagctgaaggctctgagcaatggcagcctgccttctggc  
55 accagctccagaggctggagctcagcaggaacagcatcatctcgtgggtccctggcttcttctgctctggccacg  
aggctgcgagagctcaacctcagtgccaacgcccctcaggacagaggagccctcctgggttgggttccctagcaggc  
tcccttgaagtcctagatgtgagcgccaacctctgcactgcgctgtggggcagccttctgtggacttccctgctg

- 17 -

cagggttcaggctgccgtgcctggtctgccagccgcgtcaagtgtggcagtcggggccagctccaggggccgcagc  
atcttcgcacaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAFLPCELQPRGKVNWNWFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAWEVAPGALLGLGNLTHLSLKYNNTLEVPRRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
10 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQLRRLNLSFNHYHKKVSFAHLQLAPSFGGLVSLKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWR  
GLAPGPLAAVSAKDFMPSCNLFNFTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSSLTVLP  
15 QLEALDLAQNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGAFAVDFLLEMQAAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSLLMVA  
LGLAVPMLHHLCGWDLWYCFHLCLAHLPRRRRQGEDTLLYDAFVVFDAQSAVADWVYNELRVQLEERRRRAL  
RLCLEERDWLPKTLFENLWASVYSRKTMFVLDHTDRVSGLLRASFLAQQRLLLEDKDVVVLVILRPAAYRSR  
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNRNFRCGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAFLPCELQPRGKVNWNWFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAWEVAPGALLGLGNLTHLSLKYNNTLEVPRRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
25 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQLRRLNLSFNHYHKKVSFAHLQLAPSFGGLVSLKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWR  
GLAPGPLAAVSAKDFMPSCNLFNFTLDLSRNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSSLTVLP  
30 QLEALDLAQNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGAFAVDFLLEMQAAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgagcgccaagcatccttccctgcagctgccgcccacttgcccgcagacctctggaga  
35 agccgcattccctgccatggggccctactgtgcccgcaccccccttctctcctggtgcaggcgccggcgctggc  
agcagccctggcccaggccacccctgcctgccttccctgtgagctccagccccggggaagtgaactgcaa  
ctggctgttccctgaagtctgtgcccgcgcttctcgccggagccccccgggccaatgtcaccagcctctccttaat  
ctccaaccgcatccaccacttgacgactctgacttctgctccacctgtccaacctgcgggtcctcaacctcaagt  
40 gaactgcccgcggcgccgctcagccccatgcacttccctgcccgcagaccatcgagcccaacaccttctggc  
tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctgcccagttctctcgt  
atccctgtcgctgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcagccctgcgctt  
tctgtacatggacggcaactgctactataagaacccctgccagcaggcgctggagggtggccccaggcgccctcct  
tggcctgggcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgctgccccccag  
cctggacacctgtgctgtcctacaaccacatcacctggcaccggaggacctggccaatctgactgcct  
45 gcgtgtgctgtgctggcggggaactgcgcgctgcgaccacgcccgaacccctgcaggagtgcccaaagaa  
cttccccaaagctgcacctgacaccttgacccacctgagccgctcgaaggcctggtgtgaaggacagttctct  
ctacaaactagagaaagactggttccgcgccctgggcaggctccaagtgtcgacctgagtgagaacttctcta  
tgactacatcaccaagaccacatcttcagggaacctgaccagctgcccagactcaacctgtccttaattacca  
caagaagggtgtccttcgccacctgcaactggcaccctccttgggggcctggtgtccctggagaagctggacat  
50 gcacggcatcttcttcgctccctcaccaacaccacgctccggccgctgaccagctgcccagctccagagctt  
gagctgtcagctgaacttcatcaaccaggccgagctcagcatcttggggccttcccagagcctgctcttcgtgga  
cctgtcggacaaccgcatcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcggggtggaagt  
ctggcggtggcccaggggcctcgctccaggcccgctggccgcccgtcagcgcaaaaggacttcatgccaagctgcaa

- 18 -

cctcaacttcaccttggacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccg  
cctccagtgctcgcctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgcgctgacctg  
cctgcgagtgctcgacctgtcctacaacaagctggacctgtacctatggcgctcgttcacggagctgcgcagct  
ggaggcactggacctcagctacaacagccagcccttcagcatgcaggcggtgggccacaacctcagcttcgtggc  
5 ctagctgcgctccctgcgtacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcag  
cgctcgtcgcgcgacctggacttcagcggcaactccctgagccagatgtgggcgagggagacctctatctctg  
cttcttcaaaggcttgaggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgctcgtca  
cctggataacctgccaagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag  
cctgactgttctgccccagctggaagccctggatctggcggaaccagctgaaggccctgagcaacggcagcct  
10 gccacctggcaccggctccagaagctggcagtgagcagcaacagcatcggtttgtgaccttggcttcttctgt  
ccttgccaacggctgaaagagcttaacctcagcgccaacgcctgaagacagtggtaccttctggttcggtcg  
cttaacagagacctgaatatcctagacgtgagcgccaacccgctccactgtgctgcggggcgcccttctgtgga  
cttctgctggagatgcaggcgccgctgctgggtgtcctcagcgcgctcacgtgtggcagtcggggcagctcca  
ggggcgagcatcttcgcacaggacctgcgcctctgcctggatgagacctctccttgagctgcttggcttctc  
15 gctgctaatgggtggcgctgggcctggcggtgccatgctgcaccacctctgtggtgggacctgtgggtactgct  
ccacctgtgctggccatttggcccgacggcgcgcgaggagacacctgctctacgatgccttctgt  
ggctctcgacaaggcgagagtgagtgagtgccgactgggtgtacaacagctccgctgagctggaggagcgcg  
cgggcgccggcgctccgctctgctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
ggcctcggtctacagcagccgtaagacctgttctgctggaccacacggaccgggtcagtggtcctcctgcgcgc  
20 cagcttctgctggccagcagcgctgttgaggaccgcaaggatgtcgtggtgctggtgatcctgcgccccgc  
cgctaccggtccgctacgtgcggctgcgcagcgctctgcgcagagcgtcctcctctggccccaccagcc  
cagtgggcagggtagcttctgggccaacctgggcatggcctgaccagggacaaccgccacttctataaccggaa  
cttctgccccggggccccacgacagccgaatagcacagagtgaactgcccag

## 25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcaccccttctctcctggtagcaggcgggcgctggcagcagccctggccag  
ggcaccctgctgctccttccctgtgagctccagccccgggtaaggtagaactgcaactggctgttctgaag  
tctgtgcgcgcttttgcggcgagcccccgggccaatgtcaccagcctctccttaactctcaaccgcatccac  
30 cacttgacgactctgacttctgctccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcggcc  
ggcctcagccccatgcacttccctgcccagatgacctcagagcccaacaccttctggtgtgcccacctggag  
gagctgaacctgagctacaatggcatcacgacctgacctgacctgacctgacctgacctgacctgacctgacct  
cgccagcagcctggtgctaggccccaccacttcaccggcctgcacgacctgacctgacctgacctgacctgacct  
35 aactgctactataagaacctgcccagcagcgctggagggtggccccagcgccctccttggcctgggcaacctc  
acgcacctgtcgtcctaagtaacaacctcacggagggtgccccgcgcctgccccagcctggacacctgctg  
ctgtcctacaaccacatcatccctggcacccgaggacctggccaatctgactgacctgacctgacctgacctg  
40 ggcgggaactgcccgcgctgacgaccgccccgaaccttgcaggagtgcccaagaacttccccagctgcac  
cctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaggacagtctctctacaactagagaaa  
gactggttccgcggtcggcaggtccaagtgtcgacctgagtgagaacttctctatgactacatcaccaag  
accacctcttcaggaacctgaccagctgacgagactcaacctgtccttcaattaccacaagaagggtgctcttc  
45 gcccacctgcaactggcaccctccttgggggctgggtgtcctggagaagctggacatgcacggcatcttcttc  
cgctccctcaccaaccacgctccggcgctgacctgacctgacctgacctgacctgacctgacctgacctgacct  
ttcatcaaccaggccgagctcagcatcttggggccttcccgagcctgctctcgtggacctgtcggaacaaccgc  
atcagcgagctgcgaggccggtggccgacctggggagggtggacagcggggtggaagtctggcggtggccagg  
ggcctcgtccaggcccgctggcgccgctcagcgcaaggacttcagccaagtgcacacctcaacttcaacttg  
45 gacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccgctccagtgacctgcgc  
ctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgcgcgtgacctgacctgacctgacctg  
ctgtcctacaacaagctggacctgtacctggcgctcgttcacggagctgcccagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcaggcggtgggccacaacctcagcttctggtggccagctgacctcctg  
cgctacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcagcgctcgtgcgcgcc  
50 ctggacttcagcggaacctcctgagccagatgtggcgaggagacctctatctgcttcttcaaaggcttg  
aggaacctggtccagctggacctgtccaagaaccacctgcacacctcctgctcgtcactggataacctgccc  
aagagcctgcccagctgctcctcggaacaataacctggccttcttcaactggagcagcctgactgttctgccc  
cagctggaagccctggatctggcggaaccagctgaaggccctgagcaacggcagcctgacctggcaccgg  
ctccagaagctggagctgagcagcaacagcatcggttcttgaccttggcttcttctgcttgcacacggctg  
55 aaagagcttaacctcagcgccaacgcctgaagacagtggtaccttctggttcggtcgcttaacagagacctg  
aatatcctagacgtgagcgccaacccgctccactgtgctgcgggcgcgcttctgtgacttctgctggagatg

- 19 -

caggcgccgctgcctgggctgtccaggcgcggtcacgtgtggcagtcggggccagctccagggccgcagcatcttc  
gcacaggacctgcgcctctgcctggatgagaccctctccttggactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLILVQAAALALALAQGTLPFAFLPCELPQHLVNCNWLFLKSVPFRFSAAAPRGNVTSLSLSYNSRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTPALPSSLVSLSL  
SRTNILLVDPATLAGLYALRFLFLDGNCYYKNPCQQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFPLHPNTFGHLHSHLEGLVLRDSSLSYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIGHGIF  
 FRSLSKTTLQSLAHLPMQLRLHLQNLFI SQAQLSIFGAFPLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNLHTLLPRNLDNLPKSLRLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSSFALAVRLRELNLNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL  
 LAVALSLAVPMLHLQCGWDLWYCFHLCLAWLPRRGRRRGVDALAYDAFVVFDKAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTFLVLAARTDRVSGLLRASFLLAQQRLLEDKDVVVLVILCPDA  
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNHRHFNQNFRCGPPTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPALPCELPQPHGLVNCNWLFLKSVPRFSAAAPRGNVTLSLSYLNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVSLSL  
 SRTNILLVDPATLAGLYALRFLFDGNCYYKNPCQQALQVAPGALLGLNLTHLSLKYNNTLVVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFPLHPNTFGHLHSHLEGLVLRDSSLSYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIGHGIF  
 20 FRSLSKTTLQSLAHLPMQLRLHLQNLFI SQAQLSIFGAFPLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKL DLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNLHTLLPRNLDNLPKSLRLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSSFALAVRLRELNLNLSANALKTVEPSWFGSL  
 25 AGALKVLDVTANPLHCACGATFVDFLLEVQAAPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCF S

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgcccagcctgccagccagaccctctggagaag  
 ccccgctccctgtcatgggccccctgcccgtggcgccctgcacccccctgtctctcctggtgcaggtgccgcgcta  
 gccctggccctggccagggcaccctgctgctctcctgctgagctccagcccatggcctgggtaactgc  
 30 aactggctgttccctcaagtccgtgccccgctctctcggaagctgcaccccgcggaactgcaccagcctttccttg  
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcccgtctcaatctcaag  
 tggaactgcccggccgagcctcagcccatgcactttcctgtcacatgaccattgagcccaacaccttccctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctt  
 gtgtccctgtccctgagccgcaccaacatcctggtgctggaccctgccaccctggcaggcctttatgccctgcgc  
 35 ttctgttccctggatggcaactgctactacaagaacccctgcccagcagccctgaggtggccccaggtgcctc  
 ctgggctgggcaacctcacacacctgtcactcaagtaacaacacctcaccgtggtgcccgcgggctgcccc  
 agcctggagtacctgctctgtcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcc  
 ctgctgtcctcgatgtgggtgggaactgtcgccgctgtgaccatgccgtaacccctgagggagtgcccaag  
 ggcttccccagctgcacccaacaccttcggccacctgagccacctcgaaggcctggtgttgaggagacagctct  
 40 ctctacagcctggacccccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttccctg  
 tatgactgcatcaccaaaacaaagccttctacggcctggcccggctgcccagactcaacctgtccttcaattat  
 cataagaaggtgtcctttgccacctgcatctggcactcctctcgggagcctactgtccttgaggagctggac  
 atacatggcatcttcttcgctcgctcagcaagacacgctccagtcgctggccacctgcccagctccagcgt  
 ctgcatctgcagttgaactttatcagccaggccagctcagcatcttcggcgcttccctggactgcccgtacgtg  
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcgctgccacaggggaggtagaggcagactgtggg  
 gagagagtctggccacagtcacgggaccttgctctgggcccactgggacccccggctcagaggccttcatgccc  
 agctgcaggacctcaacttcaccttgacctgtctcggaacacctagtactgttcagccggagatgtttgtc  
 cggctggcgccctccagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgagttcgtg  
 cctctgagcaacctgcccgtgctggacctgtcccataacaagctggacctgtaccacgggctcgttccaggag  
 50 ctgcccggctggaggccttgacctcagctacaacagccagcccttcagcatgcccggcgctgggccaacatctc  
 agctttgtggcacagctgcctcagcctcagcctggcgcaaatggcatccacagccgctgtcccag  
 cagctccgagcgctcgctccgggcccctggacttcagtggaataacccctgagccagatgtgggcccaggagac  
 ctctatctccgcttcttccaaggcctgagaagcctggttcagctggacctgtcccagaatcgctgcataccctc  
 ctgccacgcaacctggacaacctccccaaagcctgcccgtcctcgggctccgtgacaattacctggctttcttc  
 55 aactggagcagcctggccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcccaacggcaccagctccagaggtggacctcagcggcaacagcatcggttcgtgggtcccc  
 agcttttttgccttgccgtgaggcttcgagagctcaacctcagcgccaacgcctcaagacggtggagccctcc  
 tggtttgggtccctggcgggtgccctgaaagtccctagacgtgaccgccaaccccttgcatcgcttgccggcgca  
 accttcgtggacttcttgctggaggtgcaggtgcggtgcccggcctgcttagccgtgtcaagtgcggcagcccg  
 5 ggccagctccaggggcgcagcatcttcgcacaggacctgcgcctctgcttggaagcgctctcctgggtctgt  
 ttccagctctcgctgctggctgtggcctgagcctggctgtgcccattgctgcaccagctctgtggctgggacctc  
 tggtaactgcttcacctgtgcctggcctggcctgccccggcgggggcgcgcggggtgtggatggcctggcctat  
 gacgccttcgtggtcttcgacaaggcgagagctcggtggcgactgggtgtacaatgagctgcgggtacagcta  
 gaggagcgccgtggcgccggcgctacgcctgtgtctggaggaaactgactgggtaccggcaaaacccctcttc  
 10 gagaacctctgggctcagtttacagcagccgcaagacgtgtttgtgctggccgcacggacagagtgcgcggc  
 ctctgctgctgacgttctctgctggcccaacagcgctgctggaggaccgcaaggacgtcgtggtgctggtgatc  
 ctgtgccccgacgccccacgctcccgtatgtgcggtgcgcccagcgctctgcccgcagagtgtcctcctctgg  
 cccaccagccagtgccagcgcagcttctgggcccagctgggcacggccctgaccagggacaacggccacttc  
 tacaaccagaacttctgcccggggccccacgacagcctgataggcagacagccagcaccttcgcgcccctacacc  
 15 ctgctgtctgtctgggatgcccagcctgctggctctacaccgcgctctgtctcccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggttagac

## SEQ ID NO:24 (Canine TLR9)

atggggccctgccgtggcgccctgcacccctgtctctcctgggtgcaggtgcgcgctagccctggccctggcc  
 20 cagggcaccctgcctgccttctgcctgtgagctccagcccatggcctggtagaactgcaactggctgttcttc  
 aagtcggtgccccgttctcggcagctgcaccccgcggtaacgtcaccagccttctctgtactccaaccgcac  
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggaaactgcccgc  
 gccagcctcagcccatgacactttccctgtcacatgaccattgagcccaacaccttctggctgtgcccacccta  
 gaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctgtgtccctgtccctg  
 25 agccgcaccaacatctcggtgctggacccctgcccagctgcaacctttatgcccctgcgcttctgctcctggat  
 ggcaactgctactacaagaacccctgcagcagggcctgcaggtggccccaggtgcccctcctgggctgggcaac  
 ctcacacacctgtcactcaagtaacaacacctcacggtggtgcgcggggcctgccccccagcctggagtacctg  
 ctctgtcctacaaccacatcatcacctggcacctgaggacctggccaatctgactgcccctgcgtgtcctcgat  
 gtgggtgggaactgtcgccgctgtgaccatgcccgtaacccctgcagggagtgcoccaaagggttccccagctg  
 30 caccccaacaccttcggccacctgagccacctcgaaggcctggtgttgaggagacagctctctctacagcctggac  
 cccaggtgggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttctgtatgactgcatcacc  
 aaaaccaaagcctctacggcctggccgctgcccagactgcaacctgtccttcaattatcataagaaggtgttc  
 tttgcccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggacatacatggcatcttc  
 ttcgctcgctcagcaagaccagctccagtcgctggcccacctgcccattgctccagcgtctgcatctgcagttg  
 35 aactttatcagccaggcccagctcagcatcttcggcgcttccctggactgcggtacgtggactgtcagacaac  
 cgcatcagtgagctgcagagcccgcggtgccacaggggaggttagaggcagactgtggggagagagtctggcca  
 cagtcocgggaccttgcctctgggcccactgggcaccccggtcagaggccttcatgcccagctgcaggaccttc  
 aacttcaccttgacctgtctcggaacaacctagtgactgttcagccggagatgtttgtcggctggcgcgcttc  
 cagtgccctgggctgagccacaacagcatctcgagcggtcaatggctcgagttcgtgcctctgagcaacctg  
 40 cggtgctggacctgtcccataaacaagctggacctgtaccacggcgctcgttcacggagctgcgcggctggag  
 gccttgacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacaatctcagctttgtggcacag  
 ctgccagccctgcgtacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctccggggcctggacttcagtggaataacctgagccagatgtggggcgaggagacctctatctccgcttc  
 ttccaaggcctgagaagcctggttcagctggacctgtcccagaatcgccctgcataacctcctgccacgcaacctg  
 45 gacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctggctttcttcaactggagcagcctg  
 gccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc  
 aacggcaccagctccagaggctggacctcagcggaacagcatcggttcgtgggtccccagcttttttgccttg  
 gccgtgaggttcgagagctcaacctcagcgccaacgcctcaagacggtggagccctcctggtttgggtccctg  
 gcgggtgcccgtgaaagtccctagacgtgaccgccaaccccttgcatcgcttgccggcgcaaccttcgtggacttc  
 50 ttgctggagggtgcaggtgcggtgcccggcctgcctagccgtgtcaagtgcggcagcccgggcagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

MGPCHGALHPLSLVQAAALAVALAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLSYNSRI  
 55 HHLHDSDFVHLSSLRRLNLKWNCPASLSMHPFCHMTIEPHTFLAVPTLEELNLSYNSITTPALPSSLVLSLSL

- 22 -

SRTNILVLDPANLAGLSLRLFLDGNCCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNLNTAVPRGLPPSLEYL  
LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYLN  
PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
5 GDALGPPGTPSSEGFMPCGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLDNLPKSLRLRLRLRDNYLAFFNWSSVLV  
LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
TLKVLDVTGNPLHCACGAAFVDFLLEVQAAPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLT  
10 VALGLAVPMLHHLGWDLDWYCFHLCLAWLPRGRRRGADALPYDAFVVDKAQSAVADWVYNELRVRLERGRRR  
ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQLLEDRKDVVVLVILRPDAHR  
SRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCRGPPTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCGHALHPLSLLVQAAALAVALAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPHFSAAPRGNVTSLSLYSNRI  
HHLHDSDFVHLSLRLRLNWKWNCPPASLSPMHFPCHTTIEPHTFLAVPTLEELNLSYNSITVPALPSSIVLSLSL  
SRTNILVLDPANLAGLSLRLFLDGNCCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNLNTAVPRGLPPSLEYL  
LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYLN  
PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFGLSLSLQQLDMHGIF  
20 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
GDALGPPGTPSSEGFMPCGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLDNLPKSLRLRLRLRDNYLAFFNWSSVLV  
LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
25 TLKVLDVTGNPLHCACGAAFVDFLLEVQAAPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

## SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattcttctctgccatcgctgcccagctctgccatccagaccctctggagaagcccc  
cactccctgtcatgggccccctgccatggcgccctgcacccctgtctctcctgggtgcaggctgcccgcgtggccg  
30 tggccctggcccaggccacccctgccttcttgcctgtgagctccagcgccacggcctgggtgaattgcgact  
ggctgttctcactcaagtcctgctgccccacttctcgccggcagcgccccctggtaacgtcaccagccttctcctgtact  
ccaaccgcatccaccacctccagcactccgactttgtccacctgtccagcctgcccgcgtctcaacctcaaatgga  
actgccccaccgcccagcctcagcccatgcacttccctgtccatgaccattgagccccacaccttccctggccg  
tgccccaccctggaggagctgaacctgagctacaacagcatcacgacagtaccgcctgcccaggttccctcgtgt  
35 cctgtccttgagccgtaccaacatcctgggtgctggacctgccaacctgcgagggctgactccctgccccttct  
tgttctctggatggcaactgctactacaagaacccctgcccgcaggccctgcaggtggccccggcgccctccttg  
gcctgggaaccttacgcacctgtcactcaagtacaacaacctcactgcggtgccccgcggcctgccccccagcc  
tggagtacctgctattgtcctacaaccacatcatccctggcacctgaggacctggccaacctgaccgcccctgc  
gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgcccgaacccctgtatggagtcccccaagggt  
40 tcccgacctgcacctgacaccttcagccacctgaaccacctcgaaggcctgggtgttgaggacagctctctct  
acaacctgaacccagatgggtccatgcctgggcaacctcatggtgctggacctgagtgagaacttccatatg  
actgcatcaccaaaaccacagccttccaggccctggcccagctgcccagactcaacttgtcttcaattaccaca  
agaagggtgctcttggccacctgcactgcccgcctccttcgggagcctgctctcctgcagcagctggacatgc  
atggcatcttcttcgctcgctcagcgagaccacgctccggtcgctgggtccacctgcccattgctccagagctgc  
45 acctgcagatgaacttcatcaatcaggccccagctcagcatcttcggggccttccctggcctgcgatacgtggacc  
tgtcagacaaccgcataagtggagccatggagctggcggtgccacgggggaggtggatgggtggggagagagtcc  
ggctgccatctggggacctagctctgggcccaccgggacccctagctccgagggttcatgccaggctgcaaga  
ccctcaacttccacttgacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctcgc  
gcctccagtgcctgctcctgagccgcaacagcatctcgcaggcagtcacggctcacaatttatgcccgtgacca  
50 gcctgcaggtgctggacctgtcccataacaagctggacctgtaccatggcgctcttccacggagctgcccgcgc  
tggaggccctggacctcagctacaacagccagcccttcagcatgcaggcgctgggtcacaacctcagctttgtgg  
cacagctgcccgcctgcgctatctcagcctggcgacacagacatccacagcctgtgtgtcccagcagctctgca  
cgccctgcctgcccgccttgacttcagcggcaatgccttgagccgatgtggggcggaggagacctgtatctcc  
acttcttccgaggcctgaggagcctgggtccggttgatctgtcccagaatcgccctgcataccctcttgccacgca  
55 ccttggaacacctccccagagcctgcccgtgctgcgtctccgtgacaattatctggcttcttcaactggagca



- 23 -

gcctgggtcctcctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagct  
 tgcctaataaggaaccagctccagaggtggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggtgcgagagctcaacctcagtgccaacgccctcaagacggtggagccctcctgggttcggtt  
 ctctagcgggacccctgaaagtccatagatgtgactggcaacccctgcactgcgcctgtggggcgcccttcgtgg  
 5 acttcttgctggaggtgcaggtgcagtgcccgccctgcaggccacgtcaagtgtggcagtcaggctcagctcc  
 agggccgcagcatctttgcgcaggatctgcgcctctgcctggatgaggccctcctctgggactgttttgccctct  
 cgctgctgaccgtggccctgggctggcgctgcccattgtgcaccacctctgtggctgggacctctgggtactgct  
 tccacctgtgcctggcctggctgccccggcgggggcgggcgggcgggcgggatgccctgccctacgatgcctttg  
 tggctcttcgacaaggcacagagcgcggtggcgactgggtgtacaacgagctgcgggtacggctagaggagcgcc  
 10 gtggacgcccagcgctccgcctgtgcctggaggaacgtgactggctaccgcgtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggcccacacagacagggctcagcgccctcttgccg  
 ccagctttctgtgcccagcagcgctgctggaggaccgcaaggacgttgtgtgtgctggatcctgcgccccg  
 acgcccacgctcccgctatgtgcggctgcgccagcgctctgcgccagagcgctcctcttgccccaccagc  
 ccagtgccagcgagcttctgggcccagctgggcacggccctgaccagggaacaaccagcactctataaccaga  
 15 acttctgcggggccccacgacggcagagtgcggccagcaccccaagcctcctacaccttgctgtctgcctg  
 ggatgcggg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgcacccctgtctctcctgggtgcaggtgcgcgcgtggccgtggccctggcc  
 20 cagggcaccctgcctgcctttctgcctgtgagctccagcgccacggcctggtgaattgcgactggctgttctc  
 aagtccgtgccccacttctcgggcgagcgccccgtggttaacgtcaccagcctttccctgtactccaaccgcatc  
 caccacctccagactccgactttgtccacctgtccagcctgcccgtctcaacctcaaatggaactgccacccc  
 gccagcctcagccccatgcacttccctgtcacatgaccattgagccccacaccttccctggccgtgccacccctg  
 gaggagctgaacctgagctacaacagcatcacgacagtaccgcctgcccagttccctcgtgtccctgtccttg  
 25 agccgtaccaacatcctgggtgctggacctgccaacctgcagggctgcactccctgcgctttctgttccctggat  
 ggcaactgctactacaagaacccctgcccgcaggccctgcaggtggccccggcgccctccttgccctgggcaac  
 cttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcctggagtacctg  
 ctattgtcctacaaccaatcatcacctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat  
 gtgggtgggaactgccgtgcgtgtgaccacgcccgaacccctgtatggagtggcccaagggtctcccgacactg  
 30 caccctgacacctccagccacctgaaccacctgaaggcctggtgttgaaggacagctctctctacaacctgaac  
 ccagatggttccatgccctgggcaacctcatggtgctggacctgagtgaacttccctatgtcctgtacatcacc  
 aaaaccacagccttccagggcctggcccagctgcgcagactcaacttgcctttcaattaccacaagaagggtgtcc  
 ttgcccacctgcactgtggcgccctccttcgggagcctgctctccctgcagcagctggacatgcactgtcttc  
 ttccgctcgtcagcgagaccagctccggctgcgtggtccacctgcccattgctccagagctgcacctgcagatg  
 35 aacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac  
 cgcataagtggagccatggagctggcggtgccacggggaggtggatggtggggagagagtcgggtgccatct  
 ggggacctagctctggggccaccgggcacccctagctccgagggcttcagtcagggtgcaagacctcaacttc  
 accttgacctgtcacggaacaacctagtgaacaaccagccagagatgtttgcccggctctcgcgcctccagtcg  
 ctgctcctgagccgaacagcatctgcaggcagtcacacggctcacaatttatgcccgtgaccagcctgcaggtg  
 40 ctggacctgtcccataacaagctggacctgtacctggcgctctttcacggagctgcgcggctggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcaggcggtgggtcacaacctcagctttgtggcacagctgccg  
 gccctgcgctatctcagcctggcgcaaacgacatccacagccgtgtgtcccagcagctctgcagcgccctcgtg  
 cgggccttggaactcagcggcaatgccttgagccggatgtggggcgaggagacctgtatctccacttctccga  
 ggctgaggagcctgggtccggttgatctgtccagaatgcctgcataccctcttgccacgcacccctggacaac  
 45 ctccccagagcctgcggctgctgcgtctccgtgacaattatctggctttcttcaactggagcagcctggtcctc  
 ctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccctaatgga  
 acccagctccagaggtggacctcagcagcaacagtatcagcttcgtggcctccagctttttgtcttgccacc  
 aggtgcgagagctcaacctcagtgccaacgccctcaagacggtggagccctcctggttcggttctctagcgggc  
 accctgaaagtccatagatgtgactggcaacccctgcactgcgcctgtggggcgcccttcgtggacttctgtctg  
 50 gaggtgcaggtgcagtgcccggcctgccaggccacgtcaagtgtggcagtcaggctcaggtcaggtccaggccgcagc  
 atctttgcgcaggatctgcgcctctgcctggatgaggccctcctctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSSL  
 SHTNILLVDANSLAGLYSLRVLFMDGNCYKPNCTGAVKVTGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIIECGQKSLHLHPETFHHLSHLEGLVLKDSSLHTLN  
 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLNLSFNRYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVLVDVRSNPLHCACGAAFVDLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGLSLL  
 AVAVGMVVPILHHLCGWDVWYCFHLCLAWPLLLARSRRSAQALPYDAFVVFDKAQSAVADWVYNELRVRLBEERRG  
 RRALRLCLEDRDWLPQQLTFENLWASITYGSRKTLFVLAHTDRVSGLLRTSFLLAQQRLLLEDRKDVVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGFWAQLSTALTRDNRHFYNQNFRCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSSL  
 SHTNILLVDANSLAGLYSLRVLFMDGNCYKPNCTGAVKVTGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIIECGQKSLHLHPETFHHLSHLEGLVLKDSSLHTLN  
 35 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLNLSFNRYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLVDVRSNPLHCACGAAFVDLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgctcagagggagcctcgggagaaatcctccatctcccaacatgggtctcctcgcgaaggactctgcaccccttgctcc  
 ctctcgggtacaggctgcagtgctggctgagactctggcctgggtaccctgcctgcttctaccctgtgagctg

- 25 -

aagcctcatggcctgggtggactgcaattggctgttcctgaagtctgtaccccggttctctgcggcagcatcctgc  
 tccaacatcaccgcctctccttgatctccaaccgatatccaccacctgcacaactccgacttcgtccacctgtcc  
 aacctgcggcagctgaacctcaagtggaaactgtccaccactggccttagccccctgcacttctcttgccacatg  
 accattgagcccagaaccttctcctggctatgcgtacactggaggagctgaacctgagctataatgggtatcaccact  
 5 gtgccccgactgcccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtctagatgctaaccagc  
 ctgcgcggcctatacagcctgcgcgttctcttcatggacgggaactgctactacaagaacccctgcacaggagcg  
 gtgaagggtgaccccaggcgccctcctgggctgagcaatctcaccatctgtctctgaagtataacaacctcaca  
 aaggtgccccgccaactgccccccagcctggagctacctcctgggtgctctataacctcattgtcaagctggggcct  
 gaagacctggccaatctgacctcccttcgagtacttgatgtgggtgggaattgccgtcgctgcgacctgcccc  
 10 aatccctgtatagaatgtggccaaaagtccctccacctgcacctgagaccttccatcacctgagccatctggaa  
 ggctgtgtgctgaaggacagctctctccatacactgaactcttctcctgggtccaaggtctgggtcaacctctcggtg  
 ctggacctgaagcagaactttctctatgaaagcatcaaccacaccaactgcctttcagaacctaacccgcctgcgc  
 aagctcaacctgtccttcaattaccgcgaagaaggtatcctttgccccgctccacctgggaagttccttcaagaac  
 ctgggtgctactgcaggagctgaacatgaacggcatcttcttcgctcgctcaacaagtacacgctcagatggctg  
 15 gccgatctgcccactccacactctgcactcttcaatgaacttcatcaaccaggcacagctcagcatctttgggt  
 accttccgagcccttcgctttgtggacttgctcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
 cctgaagaggcagatgatgcagagcaggaggagctgttgtctgcggatcctcaccagctccactgagcaccct  
 gcttctaagaacttcatggacaggtgtaagaacttcaagttcaccatggacctgtctcggaacaacctgggtgact  
 atcaagcgaagctgtttgtcaatctctcagcctccagtgctttagcctgagccacaactccattgcacaggtc  
 20 gtcaatggctctcagttcctgcgcgtgactaatctgcaggtgctggacctgtccataacaacaaactggtgtac  
 cactggaaatcgttcagtgagctaccacagttgcaggccctggacctgagctacaacagccagcccttagcatg  
 aagggtataggccacaatttctcagttttgtggcccatctgtccatgctacacagccttagcctggcacacaatgac  
 attcataaccgctgtgtcctcacatctcaacagcaactcagtgagggtttcttgacttcagcggcgaacgggtatgggc  
 cgcattgtgggatgaggggggcctttatctccatttcttccaaggcctgagtggcctgctgaagctggacctgtct  
 25 caaaataacctgcatatcctccggccccagaaccttgacaacctccccaaagacctgaagctgctgagcctccga  
 gacaactacctatctttcttaactggaccagctctgtccttccctgcccacctggaagctcctagacctggcagc  
 aaccagctaaaggccttgaccaatggcaccctgcctaatggcaccctcctccagaacctggatgtcagcagcaac  
 agtatcgtctctgtgggtcccagccttcttcgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
 ctcaagacgggtggatcgctcctgggtttggggccatttgatgaacctgacagttctagacgtgagaagcaacct  
 30 ctgcactgtgctgtggggcagccttcgtagacttactgttgagggtgcagaccaaggtgcctggcctggcta  
 ggtgtgaagtgtggcagccccggcagctgcagggccgtagcatcttcgcacaggacctgcggctgtgcctggat  
 gaggtcctctcttgggactgctttggcctttcactcttggctgtggcctgggcatgggtgggtgctatactgcac  
 catctctgcggctgggacgtctggtactgttttcatctgtgcttggtacatggctacctttgtctggccccgagccga  
 cgcagccccaaagctctccctatgatgccttcgctggtgttcgataaggcacagagcgcagttgcccagctgggtg  
 35 tataacgagctgcgggtgcggctggaggagcggcggtgcgcgagccctacgcttgtgtctggaggaccgagat  
 tggctgctggccagacgctcttcgagaacctctgggcttccatctatgggagccgcaagactctatttgtgctg  
 gccacacgagacgcgctcagtgccctcctgcgcaccagcttctctgctggctcagcagcgcctgttggaagaccgc  
 aaggacgtggtggtgtggtgatcctgcgtccggtgccaccgctcccgtatgtgcgactgcgccagcgtctc  
 tgccgccagagtgtgctcttctggccccagcagcccaacgggcaggggggcttctggggccagctgagtagcacc  
 40 ctgactagggacaaccgcccacttctataaccagaacttctgccccgggacctacagcagaatagctcagagcaaca  
 gctggaaacagctgcatcttcatgctggttcccgagttgctctgcctgc

## SEQ ID NO:31 (Murine TLR9)

atgggttctccgtcgaaggactctgcaccttctgctcctcctggtagagctgcagtgctggctgagactctggcc  
 45 ctgggtacctgcctgccttccctaccctgtgagctgaagcctcatggcctgggtggactgcaattggctgttctctg  
 aagtctgtaccccggttctctgcggcagcatcctgctccaacatcaccgcctctccttgatctccaaccgatatc  
 caccacctgcacaactccgacttcgtccacctgtccaacctgcggcagctgaacctcaagtggaaactgtccacc  
 actggccttagccccctgcacttctcttgccacatgaccattgagcccagaaccttctggctatgcgtacactg  
 50 gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgcccagctccctgggtgaatctgagcctg  
 agccacaccaacatcctggttctagatgctaacagcctcgccggcctatacagcctgcgcgttctcttcatggac  
 gggaaactgctactacaagaacccctgcacaggagcgggtgaagggtgaccccaggcgccctcctgggctgagcaat  
 ctacccatctgtctctgaagtataacaacctcacaaggtgccccgccaactgccccccagcctggagtacctc  
 ctgggtgctctataacctcattgtcaagctggggctgaagacctggccaatctgacctcccttcgagtacttgat  
 gtgggtgggaattgccgtcgctgcgacctgcccccaatccctgtatagaatgtggccaaaagtccctccacctg  
 55 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
 tcttctcctgggtccaaggtctggtcaacctctcggtgctggacctaaagcgagaactttctctatgaaagcatcaac  
 cacaccaatgcctttcagaacctaacccgcctgcgcaagctcaacctgtccttcaattaccgcgaagaaggtatcc

- 26 -

tttgccccctccacctggcaagttccttcaagaacctgggtgctactgcaggagctgaacatgaacggcatcttc  
 ttcgctcgctcaacaagtacacgctcagatggctggccgcatctgccccaaactccacactctgcatcttcaaag  
 aacttcatcaaccaggcacagctcagcatctttggtaccttccgagcccttcgctttgtggactgtcagacaat  
 cgcacagtggtggccttcaacgctgtcagaagccaccctgaagaggcagatgatgcagagcaggaggagctgttg  
 5 tctgcggtacctcaccagctccaactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag  
 ttcacatggacctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcacgctccag  
 tgtcttagctgagccacaactccattgcacaggtgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtcccataaacaactggactgtaccactggaaatcggtcagtgagctaccacagttgcaggcc  
 ctggacctgagctacaacagccagccctttagcatgaagggtataggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcatacccggtgtgctctcacatctcaacagcaactca  
 gtgaggtttcttgacttcagcggcaacgggtatggcgccgcatgtgggatgaggggggctttatctccatttcttc  
 caaggcctgagtggtgctgaagctggacctgtctcaaaataacctgcatactctccggccccagaaaccttgac  
 aacctccccagagcctgaagctgctgagcctccgagacaactacctatctttctttaactggaccagtctgtcc  
 ttctgccccaaacctggaagtcttagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgccta  
 15 ggcaccctcctccagaactggatgtcagcagcaacagatctgtctctgtggtccagccttcttcgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacggtggatcgctcctgggtttgggcccattgtg  
 atgaacctgacagttctagacgtgagaagcaaccctctgcactgtgctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgcctggcctggctaaggtgtgaagtgtggcagccccggccagctgcagggccgt  
 agcatcttcgcacaggacctgcggtgtgcctggatgaggtcctctcttgggactgctttggc

20

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLP SLRHLNLKWNCPVGLSPMHFPCCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 SHTNIMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL  
 25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNCPMECPRHFPQLHPDTFSHLSRLEGLVLKDSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCIITKFAQGLTQLRKLNLSFNQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMVGHNFSFVAHLRTLRLSLAHNNIHSQVSQQLCSTSL  
 30 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRRLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDSWFGPLAS  
 ALQILDVSNPLHCACGAAFMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA  
 VALGLGVPMLHHL CGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDTQSADVADWVYNELRGQLEECRG  
 RWALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQLLEDKDVVVLVILSPDG  
 35 RRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHNFYRNFCQGPAT

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLP SLRHLNLKWNCPVGLSPMHFPCCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNCPMECPRHFPQLHPDTFSHLSRLEGLVLKDSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCIITKFAQGLTQLRKLNLSFNQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 45 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMVGHNFSFVAHLRTLRLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRLLHTLLPQTLRNLPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRRLDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDSWFGPLAS  
 ALQILDVSNPLHCACGAAFMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggtcgggtataaaaaatcttacttctctattctctgagccgctgctgcccctgtgggaaggagacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgcccgcagaccctctggagaagccctgccccccagcatgggt  
 ttctgcccgcagcgcctgcaccgctgtctctcctggtgcaggccatcatgctggccatgacctggccctgggt

- 27 -

accttgccctgecttccctaccctgtgagctccagccccacggcctgggtaactgcaactggctgttccctgaagtct  
gtgccccacttctccatggcagcaccctggcgaatgtcaccagccttccctgtcctccaaccgcatccaccac  
ctccatgattctgactttgcccacctgcccagcctgcccgcactctcaacctcaagtggaaactgcccgcgggtggc  
ctcagccccatgcacttccctgcccacatgaccatcgagcccagcaccttcttggtgtgcccacccctggaagag  
5 ctaaacctgagctacaacaacatcatgactgtgcctgcgctgcccacacccctcatatccctgtccctcagccat  
accaacatcctgactagactctgcccagcctgcggcctgcatgccctgcgcttccctattcatggacggcaac  
tggtattacaagaacccctgcaggcaggcactggagggtggccccgggtgccctccttgccctgggcaacctcacc  
cacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccctccagcctggagtatctgctgttg  
tccataaacccgcatcgctcaactggcgccctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
10 ggaaattgcccgcgctgagaccagcctcccaacccctgcatggagtgcctcgtcacttccccagctacatccc  
gataccttcagccacctgagccgtcttgaggcctggtgttgaggacagttctctctcctggctgaatgccagt  
tggttccgtgggtgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcactaaaacc  
aaggccttcaggggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaggaggtgctcctttgccc  
cactgtctctggcccccttccctcgggagcctggtgcgcccgaaggagctggacatgcacggcatcttcttccgc  
15 tcaactcgatgagaccagcctccggccactggcccgcctgcccacatgctccagactctgcgtctgcagatgaacttc  
atcaaccaggcccagctcggcactcttcaggggccttccctggcctgcgctacgtggacctgtcggaacaaccgcatc  
agcggagcttcggagctgacagccaccatgggggagggagatggaggggagaaggctctggctgcagcctggggac  
cttgctccggccccagtgagacactcccagctctgaagacttcaggcccaactgcagcacccctcaacttcaccttg  
gatctgtcacggaacaacctggtgacctgcagccggagatggttgcccagctctcgacactgcagtgcctgcgc  
20 ctgagccacaactgcatctcgaggcagtcagtggctcccagttcctgcccgtgaccggtctgcaggtgctagac  
ctgtcccgaataaagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctggacctc  
agctacaacagccagccctttggcatgcagggcggtggccacaacttcagcttctggtggtcacctgcgcacctg  
cgccacctcagcctggcccacaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctgcggggc  
ctggacttcagcggcaatgcactgggcatatgtgggcccagggagacctctatctgcacttcttccaaggcctg  
25 agcgggttgatctggctggacttgcctcagaaccgctgcacacccctcctgccccaaacctgcgcaacctcccc  
aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtggaggcctccacttccctgccc  
aaactggaaagtccctgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgctgtggcaccggc  
ctccggaggctggatgtcagctgcaacagcatcagcttctggtggccccggccttctttccaaggccaaggagctg  
cgagagctcaaccttagcgccaacgcccctcaagacagtggaccactcctggtttgggccccctggcgagtgcctg  
30 caaatactagatgtaagcgccaacctctgcactgcgctgtggggcgccctttatggacttccctgctggagggtg  
caggctgcctgcccgggtctgcccagccgggtgaagtgtggcagtcggggccagctccaggggcctcagcatcttt  
gcacaggacctgcgctctgcctggatgaggccctctcctgggactgtttcgccctctcgctgctggctgtggct  
ctgggcctgggtgtgcccacatgctgcacacctctgtggttgggacctctggtactgcttccacctgtgcctggcc  
tggcttccctggcgggggcggaagtgggagagatgaggatgcctgcccacagatgcttctggtgcttccgac  
35 aaaacgcagagcgcagtgaggcagactgggtgtacaacagacttccgggggcagctggaggagtgcgctggggcctgg  
gcactccgctgtgcctggagggaacgcgactgctgctggcacaacctctttgagaacctgtgggctcggtc  
tatggcagccgcaagacgctgtttgtgctggcccacacggacggggtcagtggtctcttgcgcgccagcttccctg  
ctggcccagcagcctgctggaggaccgcaaggacgtcgtggtgctggtgatcctgagccctgacggccgcccgc  
tcccgtacgtgcggtgcccagcgcctctgcccgcagaagtgtcctcctctggccccaccagccagtggtcag  
40 cgcagcttctggggccagctgggcatggccctgaccagggaacaaccaccacttctataaccggaacttctgccag  
ggaccacggccgaatagccgtgagccggaatcctgcacggtgccacctccacactcacctcacctctgctgccc  
tggctgacctccccctgctgcctccctcaccacacactgacacagagca

## SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcccagcgcctgaccccgctgtctctcctggtgagggccatcatgctggccatgacctggcc  
ctgggtaccttgccctgcccctaccctgtgagctccagccccacggcctgggtaactgcaactggctgttccctg  
aagtctgtgccccacttctccatggcagcaccctggcgaatgtcaccagccttccctgtcctccaaccgcatc  
caccacctccatgattctgactttgcccacctgcccagcctgcccgcactctcaacctcaagtggaaactgcccgcg  
gttggcctcagccccatgcacttccctgcccacatgaccatcgagcccagcaccttcttggtgtgcccacccctg  
50 gaagagctaaacctgagctacaacaacatcatgactgtgcctgcgctgcccacacccctcatatccctgtccctc  
agccataccaacatcctgatgctagactctgcccagcctgcggcctgcatgccctgcgcttccctattcatggac  
ggcaactgttattacaagaacccctgcaggcaggcactggagggtggccccgggtgccctccttgccctgggcaac  
ctcaccacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccctccagcctggagtatctg  
ctggtgtcctacaaccgcatcgctcaactggcgccctgaggacctggccaatctgaccgcccctgcgtgtgctcgat  
55 gtggggcggaattgcccgcgctgagaccagcctcccaacccctgcatggagtgcctcgtcacttccccagcta  
catcccgataccttcagccacctgagccgtcttgaggcctggtgttgaggacagttctctctcctggctgaat  
gccagttgggtccgtgggtgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcact

- 28 -

aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaagagggtgtcc  
 ttgtccacactgtctctggcccttcttcgggagcctggtcgccctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccacgctccggccactggcccgctgcccatgctccagactctgcgtctgcagatg  
 aacttcatcaaccaggcccagctcggcatcttcaggggccttccctggcctgcgctacgtggacctgtcggacaac  
 5 cgcatcagcggagcttccggagctgacagccaccatgggggaggcagatggaggggagaaggtctggctgcagcct  
 ggggaccttgctccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaacttc  
 acctggatctgtcacggaacaacctggtgacctgcagccggagatgtttgccagctctcgcaacctgcagtgc  
 ctgcgctgagccacaactgcatctcgaggcagtcgaatggctcccagttcctgccgctgacgggtctgcaggtg  
 ctgacctgtcccgcaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctg  
 10 gacctcagctacaacagccagccctttggcatgcagggcggtggccacaacttcagcttctggctcacctgcgc  
 acctgcgccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg  
 cgggcctggacttcagcggcaatgcactgggccatatgtgggcccaggaggacctctatctgcacttcttccaa  
 ggcctgagcgggttgatctggctggactgtcccagaaccgcctgcacaccctcctgccccaaacctgcgcaac  
 ctccccaagagcctacaggtgctgctctccgtgacaattacctggccttctttaagtggtggagcctccacttc  
 15 ctgccccaaactggaagtccctcgacctggcaggaaccggctgaaggccctgaccaatggcagcctgcctgctggc  
 acccgctccggaggctggatgtcagctgcaacagcatcagcttcgtggccccggcttctttccaaggccaag  
 gagctgcgagagctcaaccttagcgccaacgcctcgaagcagtggaacctcctgggttggggccctggcgagt  
 gccctgcaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttatggacttctgctg  
 20 gaggtgcaggctgccgtgcccggtctgccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc  
 atcttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide  
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is  
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in  
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.  
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.  
25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid  
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA



- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine  
10 dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15 
$$5'-N_1X_1CGX_2N_2-3'$$

wherein  $X_1$  and  $X_2$  are nucleotides, N is any nucleotide, and  $N_1$  and  $N_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $X_1$  is adenine, guanine, or thymine and/or  $X_2$  is cytosine, adenine, or thymine. In other embodiments  $X_1$  is cytosine and/or  $X_2$  is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a  
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising  
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease). Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory  
25 nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

10 According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of  
15 quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a  
20 TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of  
25 a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for  
30 screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test



- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNA<sup>later</sup><sup>TM</sup> (Ambion<sup>®</sup>, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:  
20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZerO™ - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment  
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,  
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple  
25 sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino  
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

### Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

10

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

15

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

25

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;

30

generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the



- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with  
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a  
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the  
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred  
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5        12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10        14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15        contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
             measuring a signal in response to the contacting; and  
             identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20        17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25        18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30        20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT,  
5 GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the  
10 contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

15 23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

# Figure 1 (1/3)

```

feline      MGPCGHGALHPLSLVQAAALAVALAQGTLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAA 60
canine      MGPCRGALHPLSLVQAAALALALAQGTLPFAFLPCELQPHGLVNCNWFLKSVPRFSAAA 60
bovine      MGP-YCAPHPLSLVQAAALAAALAEGLTLPFAFLPCELQPHGQVDCNWFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLVQAAALAAALAEGLTLPFAFLPCELQPHGQVDCNWFLKSVPHFSAGA 59
ovine       MGP-YCAPHPLSLVQAAALAAALAEGLTLPFAFLPCELQPHGQVDCNWFLKSVPRFSAGA 59
porcine     MGP-RCTLHPLSLVQVTAALAAALAEGLTLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAA 59
horse       MGPCGHGALQPLSLVQAAALAVALAQGTLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAA 60
human       MGFCRSALHPLSLVQAIMLMTALAGTLPFAFLPCELQPHGLVNCNWFLKSVPHFSMAA 60
rat         MVLCRRTLHPLSLVQAAVLAALALGTLPFAFLPCELKPHGLVDCNWFLKSVPHFSAAE 60
*           : :*****. ** : * * * *.*****: : * *:*****:*.

feline      PRGNVTSLSLYSNRIHHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCMTIEPHTFL 120
canine      PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFL 120
bovine      PRANVTSLSLISNRIHHLHDSDFVHLNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
mouse       PRANVTSLSLISNRIHHLHDSDFVHLNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
ovine       PRANVTSLSLISNRIHHLHDSDFVHLNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
porcine     PRANVTSLSLISNRIHHLHDSDFVHLSSLRRLNLKWNCPAGLSPMHFPCMTIEPNTFL 119
horse       PRDNVTSLSLISNRIHHLHDSDFVHLNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 120
human       PRGNVTSLSLISNRIHHLHDSDFVHLNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 120
rat         PRSNITSLSLIANRIHHLHDLDFVHLNVRQLNLKWNCPAGLSPLHFSRCMTIEPKTFL 120
** *:***** :*****: **:: : : ***** .***:***:***** **

feline      AVPTLEELNLSYNSITTPALPSSLVSLSLRTNIVLDPANLAGLSLRFELDGNCCYY 180
canine      AVPTLEELNLSYNSITTPALPSSLVSLSLRTNIVLDPANLAGLSLRFELDGNCCYY 180
bovine      AVPTLEELNLSYNGITTPALPSSLVSLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCYY 179
mouse       AVPTLEELNLSYNGITTPALPSSLVSLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCYY 179
ovine       AVPTLEELNLSYNGITTPALPSSLVSLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCYY 179
porcine     AVPTLEELNLSYNSITTPALPSSLVSLSLRTNIVLDPANLAGLSLRFELDGNCCYY 179
horse       AVPTLEELNLSYNGITTPALPSSLVSLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCYY 180
human       AVPTLEELNLSYNNIMTPALPKSLISLSLSTNIMLDSASLAGLHALRFLYMDGNCCYY 180
rat         AMRMLEELNLSYNGITTPRLPSSLTNLSLSTNIVLDPANLAGLSLRFELDGNCCYY 180
*: ** :*****. * *** **.* * **:* ** *.. : :*:*** *: :*****

feline      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
canine      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239
ovine       KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239
porcine     KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239
horse       KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
human       KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
rat         KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
*** *: :*. * :*.***.***** ***** ** **.*: ***** *:.* **

feline      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 300
canine      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 300
bovine      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 299
mouse       ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 299
ovine       ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 299
porcine     ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 299
horse       ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 300
human       ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 300
rat         ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDFTFSLNHLLEGLVLKDSLSYLN 300
***:***:***** ***** : * * : .*:** *: :*****:*** *:

feline      PRWFHALGNLMVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHYHKKVSFAHLHLAPSF 360
canine      PRWFHALGNLMVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHYHKKVSFAHLHLAPSF 360
bovine      KDWFRGLGRLQVLDLSENFLYDYITKTTFNDLTQLRRLNLSFNHYHKKVSFAHLHLAPSF 359
mouse       KDWFRGLGRLQVLDLSENFLYDYITKTTFNDLTQLRRLNLSFNHYHKKVSFAHLHLAPSF 359
ovine       KDWFRGLGRLQVLDLSENFLYDYITKTTFNDLTQLRRLNLSFNHYHKKVSFAHLHLAPSF 359
porcine     TRWFRGLGRLQVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHYHKKVSFAHLHLAPSF 359
horse       PRWFRGLGRLQVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHYHKKVSFAHLHLAPSF 360
human       ASWFRGLGRLQVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHYHKKVSFAHLHLAPSF 360
rat         SKWFRGLGRLQVLDLSENFLYDCITKTAFQGLAQLRRLNLSFNHYHKKVSFAHLHLAPSF 360
*:.* * *****. *.* * *:*** *:***** *:*****:*** **

```

[illegible]

**Figure 1**  
**(3/3)**

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDDVTGNPLHCACGAAAFVDFLLEVQ	778	
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDDVTANPLHCACGATFVDLLEVQ	780	
bovine	GFFVRATRLLIELNLSANALKTVDPFSWFGSLAGTLKILDVSANPLHCACGAAAFVDFLLERQ	776	
mouse	GFFVTRATRIELNLSANALKTVDPFSWFGSLAGTLKILDVSANPLHCACGAAAFVDFLLERQ	776	
ovine	GFFVLANRLKELNLSANALKTVDPFWFGRILTETLNILDVSANPLHCACGAAAFVDFLLEMQ	776	
porcine	GFFALAKQLEEINLSANALKTVEPSWFGSMVGNLKVLDVSANPLHCACGATFVGFLLEVQ	777	
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLLEVLDVSANPLHCACGAAAFVDFLLQVQ	778	
human	GFFSKAKELREVNLSANALRWTFPSWFGFLASALQLIDVSANPLHCACGAAAFMDFLLEVQ	778	
rat	AFFALVELKEVINLSHNIKTVDRSWFGPIVMNLTVLDVSSNPLHCACGAAPFDLLEVQ	779	
	. ** * . * *.*** * *: : *** : . * :****.:*****.*.:**:	*	
feline	AAVPGLPGHVKGCSFGQLQGRSIFAQDLRLCLDEALSWDCCFG	LSLLTVALGLAVPMLHHI	838
canine	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWCFS	LSLLAVALSLAVPMLHQI	840
bovine	EAVPGLSRRTVCSPGQLQGRSIFTQDLRLCLDETSLDCFG	LSLLMVALGLAVPMLHHI	836
mouse	EAVPGLSRRTVCSPGQLQGRSIFTQDLRLCLDETSLDCFG	LSLLMVALGLAVPMLHHI	836
ovine	AAVPGLSRRTVCSPGQLQGRSIFAQDLRLCLDETSLDCFG	FSLLMVALGLAVPMLHHI	836
porcine	AAVPGLPSRVKCGSPGQLQGH SIFAQDLRLCLDETSLWNCFG	ISLLAMALGLVVPMLHHI	837
horse	AAVPGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG	LSLLVVVALGLAMPMLHHI	838
human	AAVPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCCFA	LSLLAVALGLGVPMMLHHI	838
rat	TKVPGLANGVKCSPRQLQGRSIFAQDLRLCLDDVLSRDCCFG	LSLLAVALAVGTVPMLLQH I	839
	****. * .*** **** *: :*****. ** **:*** :*: . *:**: *		
feline	CGDWLWYCFHLCLAWLPRRGRR--RGADALPYDAFVVF DKAQSAVADWVYNELRVRL EER	896	
canine	CGDWLWYCFHLCLAWLPRRGRR--RGVDALAYDAFVVF DKAQSSVADWVYNELRVQLEER	898	
bovine	CGDWLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVF DKKVQSAVADWVYNELRVQLEER	894	
mouse	CGDWLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVF DKKVQSAVADWVYNELRVQLEER	894	
ovine	CGDWLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAFVVF DKAQSAVADWVYNELRVQLEER	894	
porcine	CGDWLWYCFHLCLAWLPYRQR--RGADALFYDAFVVF DKAQSAVADWVYNELRVQLEER	895	
horse	CGDWLWYCFHLGLAWLPRRGWQ--RGADALSYDAFVVF DKAQSAVADWVYNELRVRL EER	896	
human	CGDWLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVF DKTQSAVADWVYNELRGQLEEC	898	
rat	CGDWDVWYCFHLCLAWLPLLTRGR-RSAQALPYDAFVVF DKAQSAVADWVYNELRVRL EER	898	
	****.:***** ** ** * . :*: *****. *: :***** :***		
feline	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQRL	956	
canine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQQRL	958	
bovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRL	954	
mouse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRL	954	
ovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRL	954	
porcine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQRL	955	
horse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRL	956	
human	RGRWALRLCLEERDWPGLKTLFENLWASVYSGRKTLFVLAHTDRVSGLLRASFLLAQQRL	958	
rat	RGRRALRLCLEDRDWPGLQTLEFNLWASIYGSRKTLFVLAHTDKVSGLLRTSFLLAQQRL	958	
	*** *****.:****:*****.:*.*** :*** :*: :*****:*****		
feline	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQS VLLWPHQP SGQRSFWAQLGTALT RDNQ	1016	
canine	LEDKRDVVVLVILCPDAHRSRYVRLRQRLCRQS VLLWPHQP SGQRSFWAQLGTALT RDNR	1018	
bovine	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQS VLLWPHQP SGQGSFWANLGIAL TRDNR	1014	
mouse	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQS VLLWPHQP SGQGSFWANLGIAL TRDNR	1014	
ovine	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQS VLLWPHQP SGQGSFWANLGMA LTRDNR	1014	
porcine	LEDKRDVVVLVILRPDAYRSRYVRLRQRLCRQS VLLWPHQP RGQGSFWAQLGTALT RDNH	1015	
horse	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQS VLFWPHQP SGQRSFWAQLGMAL TRDNR	1016	
human	LEDKRDVVVLVILSPDGRRSRYVRLRQRLCRQS VLLWPHQP SGQRSFWAQLGMAL TRDNH	1018	
rat	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQS VLFWPHQP SGQGSFWAQLSTALT RDNH	1018	
	***** * . *****:*****.***** ** *****:*. *****:		
feline	HFYNQNFCRGPTTAE-----	1031	
canine	HFYNQNFCRGPTTA-----	1032	
bovine	HFYNNFCRGPTTAE-----	1029	
mouse	HFYNNFCRGPTTAE-----	1032	
ovine	HFYNNFCRGPTTAE-----	1029	
porcine	HFYNNFCRGPTTAE-----	1030	
horse	HFYNQNFCRGPTMAE-----	1031	
human	HFYNNFCQGPTAE-----	1032	
rat	HFYNNFCRGPTAE-----	1032	
	****.***.**		

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
University of Saskatchewan  
Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479

<151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1

<211> 1032

<212> PRT

<213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
130 135 140



Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

- 4 -

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 2  
 <211> 821  
 <212> PRT  
 <213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
                   20                                  25                                  30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
                   35                                  40                                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
                   50                                  55                                  60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
                   65                                  70                                  75                                  80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
                                   100                                  105                                  110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
                   115                                  120                                  125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
                   130                                  135                                  140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
                   145                                  150                                  155                                  160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
                                   180                                  185                                  190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
                   195                                  200                                  205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

<400> 3							
atggttctct	gtcgcaggac	cctgcacccc	ttgtctctcc	tggtagaggc	cgcagtgtctg		60
gctgaggctc	tggccctggg	tacctgcct	gccttcctac	cctgtgaact	gaagcctcat		120
ggcctggtag	actgcaactg	gtctctcctg	aagtctgtgc	ctcacttctc	tgccgcagaa		180
ccccgttcca	acatcaccag	cctttccttg	atcgccaacc	gcattccacca	cctgcacaac		240
ctcgactttg	tccacctgcc	caacgtgcga	cagctgaacc	tcaagtggaa	ctgtccgccc		300
cctggcctca	gcccttgca	cttctcctgc	cgcattgacca	ttgagcccaa	aaccttcctg		360
gtattgcgca	tgtctggaaga	gttgaacctg	agctataacg	gtattccacc	tgtgccccgc		420
ctgcccagct	ccctgacgaa	tctgagccta	agccacacca	acattcctgg	actcgattgcc		480
agcagcctcg	ctggcctgca	cagcctgcga	gttctcttca	tggacgggaa	ctgtacttac		540
aagaacccct	gcaacggggc	ggtgaacctg	accccggaag	ccttcctggg	cttgagcaac		600
ctcaccact	tgtcccttaa	gtataacaac	ctcacagagg	tgccccgcca	actgcccccc		660
agcctggagt	acctcctgct	gtcctataac	ctcatcgtca	agctgggggc	cgaagacct		720
gccaaacctga	cctcccttcg	aatgcttgat	gtgggtggga	attgcctctg	ctgtgatcac		780



gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc	840
catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctgctgaac	900
tccaagtggg tccaggggtct ggcgaaacctc tcgggtgctgg acctaaagcga gaactttctc	960
tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac	1020
ctgtccttca attactgcaa gaaggtatcg ttgcgccgcc tccacctggc aagttccttc	1080
aagagcctgg tgtcgtgca ggagctgaac atgaacggca tcttcttccg cttactcaac	1140
aagaacacgc tcaggtggct ggctggctcg cccaagctcc acacgctgca cttcaaatg	1200
aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg	1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag	1320
gcagacgagg cggagaaggg gggtccatgg cctgcaagtc tcacccagc tctcccgagc	1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg	1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag	1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc	1560
ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa	1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc	1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac	1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca	1800
gtggagtatc tggacttcag cggcaacggg gtgggcccga tgtgggacga ggaggacctt	1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag	1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt	1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg	2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt	2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc	2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact	2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc	2280
aacctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc	2340
aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc	2400
agcatctttg cgcaagacct gcggtgtgct ctggatgacg tcctttctcg ggactgcttt	2460
ggcctttcac tcctggctgt ggccgtgggc acggtgttgc ctttactgca gcatctctgc	2520
ggctgggacg tctggtactg tttccatctg tgccctggcat ggctaccttt gctgacctgt	2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640  
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820  
 gacaaggcca gtggcctcct gcgcaccagc ttcctgctgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtgt gttgggtgat ctgcgccttg atgccaccg ctcccgctac 2940  
 gtgcgactgc gccagcgctt ctgccgccag agtgtgctct tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4  
 <211> 2463  
 <212> DNA  
 <213> Rattus norvegicus

<400> 4  
 atggttctct gtcgcaggac cctgcacccc ttgtctctcc tgggtacaggc cgcagtgtctg 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcaattctc tgccgcagaa 180  
 ccccggtcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctcgactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gcccttgca cttctcctgc cgcctgacca ttgagcccaa aaccttcctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaacctct gcaacggggc ggtgaacctg accccggacg ccttcctggg cttgagcaac 600  
 ctcaacctact tgtcccttaa gtataacaac ctcaagagg tgcctcgcca actgcccccc 660  
 agcctggagt acctcctgct gtcctataac ctcatcgtca agctgggggc cgaagacctc 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gcccccagac tctgtacaga atgccggcag aagtcccttg atctgcacc tcagactttc 840  
 catcacctga gccaccttga aggcctgggt ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccaggggtc ggcgaaacct tcggtgctgg acctaagcga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080
aagagcctgg tgcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
aagaacacgc tcaggtggct ggctggtctg cccaagctcc acacgctgca ctttcaaag 1200
aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggaagaagg ggttccatgg cctgcaagtc tcaccccagc tctcccagc 1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560
ctgaccaacc tgaagggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct caccgctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggc gtggggccgc tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttccg gcccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaag 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccatttgat atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgcagacc 2340
aagggtcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa

<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15  
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30  
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45  
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60  
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80  
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160  
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820	825	830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835	840	845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850	855	860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865	870	875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110



Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcact gtagctgctg cccggtctgc cagccagacc ctttgagaa 60  
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctggtgca 120  
 ggtgacagcg ctggtcgcg ctctggccca gggcaggctg cctgccttcc tgccctgtga 180  
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctggcgga ggcggcgga ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgccc cgggtggcc tcagcccat gcacttcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggcgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgccc actccctcgt gtccctgtcg ctgagcgca ccaacatcct 540  
 ggtgctagac cccaccacc tcactggcct acatgcctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccg gtgccctcct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc cccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780  
 gcctgaggac ctggccaatc tgaactgcct gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccga accctgcag ggagtgccca aaggaccacc ccaagctgca 900  
 ctctgacacc ttcagccacc tgagccgct cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccaggt ggttcgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgccc acctgcacct 1140  
 ggcaccctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagacct 1260  
 gcgcctgcag atgaacttca ttaaccagge ccagctcagc atctttgggg ccttccctgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggta gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaac tgcaaggcct tcagcttcac 1500

cttagacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560  
 acgcctcgag tgcctgcgcc tgagccacaa cagcatctcc caggcggta atggctctca 1620  
 gtttgtgcg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacgggcgc tcttcacgg agctgccgcg cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgccgc 1800  
 cctgcgtac ctgacctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgctca ctgtgcgcc tggactttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacacc tctgccacg tgccctggac aacctccca aaagcctgaa 2040  
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100  
 gcccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc tcttttggc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctggtttg ctgatggg ggcaacctga aagtccatga 2340  
 cgtgagcgc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tctgtctgga 2400  
 ggtacaggct gccgtgcctg ggctgccag ccgcgtcaag tgtggcagtc cggggcagct 2460  
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctctg 2520  
 gaactgtttt ggcatctgc tgcgtggccat ggccctggg ctggttctgc ccatgctgca 2580  
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc 2640  
 ccgagggcag cggcggggcg cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtgggcgc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820  
 gctcttcgag aacctgtgg cctcagtcta cagcagccgc aagacctgt ttgtgctggc 2880  
 ccacacggac cgtgtcagc gcctcttgcg tgccagtttc ctgctggccc agcagcgcct 2940  
 gctggaggac cgcaaggac ttgtagtgt ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgtacgtg cggctgcgcc agcgcctctg ccgccagagt gtctctctt ggccccacca 3060  
 gccccgtgg cagggcagct tctgggcca gctgggcaca gcctgacca gggacaacca 3120  
 ccacttctat aaccggaact tctgccggg cccacgaca gccgaatagc actgagtgc 3180  
 agccagttg cccagcccc cctggatttg cctctctgct tggggtgccc caacctgctt 3240  
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atgggcccc gctgcaccct gcacccccctt tctctcctgg tgcaggtagac agcgtctggct 60  
 gcggctctgg cccagggcag gctgcctgcc ttcttgccct gtgagctcca gccccacggc 120  
 ctggtgaact gcaactggct cttcctgaag tccgtgcccc acttctcggc ggcagcggcc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcaagactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtgggaactg cccgccggct 300  
 ggcctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac cttcctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgcccctg 420  
 cccgactccc tcgtgtccct gtcgtgagc cgcaccaaca tcctggtgct agaccccacc 480  
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540  
 aacccctgcc agggggcgct ggagggtggtg ccgggtgccc tcctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggagggtgc cccgcagcct gccccccagc 660  
 ctgggagacc tgctgttgct ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgcgt gcttgatgtg ggggggaact gccgccgctg tgaccatgcc 780  
 cgcaacccct gcaggagtg cccaaaggac caccccaagc tgcaactotga caccttcagc 840  
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggcctgga caggctccaa gtgctggacc tgagtggaga cttcctctac 960  
 gactgcatca ccaagaccac ggccttccag ggcctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctctttggg 1080  
 cacctccggt ccctgaagga gctggacatg catggcatct tcttcgctc gctcagttag 1140  
 accacgctcc aacctctggt ccaactgcct atgtccaga ccctgcgcct gcagatgaac 1200  
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcgga accgcatcag cggagctgca aggccagtgg ccattactag ggagggtgat 1320  
 ggtagggaga gggctctggct gccttccagg aacctcgctc cagtcctact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg tttgctcgcc tctcacgcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcaatttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcaactaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgcctgcg ctacctcagc 1740  
 ctggcgaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcaactgtg 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 accctcctgc cactgacct ggacaacct cccaaaagcc tgaagcatct gcctctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tctgcccac gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcaagcga atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaacct 2280  
 ctgcaactgt cctgtggggc gaccttcgtg ggcttctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgcgt caagtgtggc agtcggggc agctccagg ccatagcatc 2400  
 ttgcgcaag acctgcgct ctgcctggat gagaccctct cgtggaactg ttttggc 2457

<210> 9  
 <211> 1029  
 <212> PRT  
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

- 25 -



305		310				315			320						
Asp	Tyr	Ile	Thr	Lys	Thr	Thr	Ile	Phe	Asn	Asp	Leu	Thr	Gln	Leu	Arg
				325					330					335	
Arg	Leu	Asn	Leu	Ser	Phe	Asn	Tyr	His	Lys	Lys	Val	Ser	Phe	Ala	His
			340					345					350		
Leu	His	Leu	Ala	Ser	Ser	Phe	Gly	Ser	Leu	Val	Ser	Leu	Glu	Lys	Leu
		355					360					365			
Asp	Met	His	Gly	Ile	Phe	Phe	Arg	Ser	Leu	Thr	Asn	Ile	Thr	Leu	Gln
	370						375				380				
Ser	Leu	Thr	Arg	Leu	Pro	Lys	Leu	Gln	Ser	Leu	His	Leu	Gln	Leu	Asn
385					390					395					400
Phe	Ile	Asn	Gln	Ala	Gln	Leu	Ser	Ile	Phe	Gly	Ala	Phe	Pro	Ser	Leu
			405						410					415	
Leu	Phe	Val	Asp	Leu	Ser	Asp	Asn	Arg	Ile	Ser	Gly	Ala	Ala	Thr	Pro
			420					425					430		
Ala	Ala	Ala	Leu	Gly	Glu	Val	Asp	Ser	Arg	Val	Glu	Val	Trp	Arg	Leu
		435					440					445			
Pro	Arg	Gly	Leu	Ala	Pro	Gly	Pro	Leu	Asp	Ala	Val	Ser	Ser	Lys	Asp
	450					455					460				
Phe	Met	Pro	Ser	Cys	Asn	Leu	Asn	Phe	Thr	Leu	Asp	Leu	Ser	Arg	Asn
465					470					475					480
Asn	Leu	Val	Thr	Ile	Gln	Gln	Glu	Met	Phe	Thr	Arg	Leu	Ser	Arg	Leu
				485					490					495	
Gln	Cys	Leu	Arg	Leu	Ser	His	Asn	Ser	Ile	Ser	Gln	Ala	Val	Asn	Gly
			500					505					510		
Ser	Gln	Phe	Val	Pro	Leu	Thr	Ser	Leu	Arg	Val	Leu	Asp	Leu	Ser	His
		515					520					525			
Asn	Lys	Leu	Asp	Leu	Tyr	His	Gly	Arg	Ser	Phe	Thr	Glu	Leu	Pro	Gln
	530					535					540				

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475 480
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555 560
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635 640
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagaccct 60

ctggagaagc cgcattocct gtcattgggc cctactgtgc cccgcacccc ctttctctcc 120

tggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttctgc 180

cctgtgagct ccagcccat ggtcaggtgg actgcaactg gctgttctg aagtctgtgc 240

cgacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac tctgacttcg tccacctgtc caacctgcgg gtcctcaacc 360  
 tcaagtggaa ctgcccgcg gccggcctca gcccctatgca cttcccctgc cgtatgacca 420  
 tcgagcccaa caccttctcg gctgtgcccc ccctggagga gctgaacctg agctacaacg 480  
 gcatcacgac cgtgcctgcc ctgcccagtt ccctcgtgtc cctgtcgtg agccacacca 540  
 gcatcctggg gctaggcccc acccacttca ccggcctgca cgcctgcgc tttctgtaca 600  
 tggacggcaa ctgctactac atgaacctt gccgcgggc cctggagggtg gcccagggc 660  
 ccctcctcgg cctgggcaac ctcacgcacc tgtcgtcaa gtacaacaac ctcacggagg 720  
 tgccccgcg cctgcccccc agcctggaca ccctgctgt gtccataaac cacattgtca 780  
 ccctggcacc cgaggacctg gccaacctga ctgcctgcg cgtgcttgac gtgggtggga 840  
 actgccgcg ctgcgaccat gccgcgaacc cctgcaggga gtgcccagg aacttcccc 900  
 agctgcaccc tgacacctt agtcacctga gccgcctcga aggcctgggtg ttgaaggaca 960  
 gttctctcta caaactagag aaagattggg tccgcggcct gggcaggctc caagtgtcgt 1020  
 acctgagtga gaacttcctc tatgactaca tcaccaagac caccatcttc aacgacctga 1080  
 cccagctgcg cagactcaac ctgtccttca attaccaca gaaggtgtcc ttcgcccacc 1140  
 tgcacctagc gtctctctt gggagtctgg tgtccctgga gaagctggac atgcacggca 1200  
 tcttcttccg ctccctcacc aacatcacgc tccagtcgt gaccggctg cccaagctcc 1260  
 agagtctgca tctgcagctg aacttcctca accaggccca gctcagcatc tttggggcct 1320  
 tcccagacct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag 1380  
 cggccgcctt gggggagggtg gacagcaggg tggaagtctg gcgattgcc aggggcctcg 1440  
 ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccagctgc aacctcaact 1500  
 tcaccttgga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttaccgcgc 1560  
 tctccgcct ccagtgcctg cgcctgagcc acaacagcat ctgcaggcg gttaatggct 1620  
 cccagttcgt gccgtgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc 1680  
 tgtaccatgg gcgctcattc acggagctgc cgcagctgga ggcaactggac ctcaactaca 1740  
 acagccagcc cttcagcatg cagggcgtgg gccacaacct cagcttcgtg gccagctgc 1800  
 cctcccctgc ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc 1860  
 tcagcagcgc ctggttgcgc gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920  
 ccgagggaga cctctatctc tgccttttca aaggcttgag gaacctggtc cagctggacc 1980  
 tgtccgagaa ccatctgcac accctcctgc ctgcgcacct ggacaacctg cccaagagcc 2040



tgcggcagct gcgctctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcttgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatecc cggcttcttc gtccgcgcga ctccgctgat agagcttaac ctccagcgca 2280  
 atgccctgaa gacagtggat ccctcctggg tgggttctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggcctttgtg gacttctgc 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgct cacaatgtggc agtccggggc 2460  
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggaactg ctttggcctc tcaactgctaa tgggtggcgt gggcctggca gtgcccagtc 2580  
 tgcaccacct ctgtggctgg gacctctggg actgcttcca cctgtgtctg gccatttgc 2640  
 cccgacggcg ggggcagcgg gggcaggaca ccctgctcta tgatgccgtc gtggtcttcg 2700  
 acaaggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgccgggg ggcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag cttcctgctg gccagcagc 2940  
 gcctgttgga ggaccgcaag gacgtcgtag tgctggtgat cctgcgcccc gccgcctatc 3000  
 ggtcccgtc cgtgcggctg cgccagcgcc tctgcgcga gagcgtctc ctctggcccc 3060  
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcca g 3191

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

atgggcccct actgtgcccc gcacccccct tctctcctgg tgcaggcggc ggcactggca 60  
 gcggccctgg ccgagggcac cctgcctgcc ttctgcct gtgagctcca gcccctagt 120  
 caggtggact gcaactggct gttcctgaag tctgtgcgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcttaata tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgccggcc 300  
 ggctcagcc ccatgcactt ccctgcctg atgaccatcg agcccaacac cttcctggct 360

gtgccacccc tggaggagct gaacctgagc tacaacggca tcacgaccgt gcctgccctg 420  
 cccagttccc tcgtgtccct gtcgctgagc cacaccagca tcctggtgct agggcccacc 480  
 cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactacatg 540  
 aaccctgccc cgcggggccct ggaggtggcc ccaggcgccc tcctcggcct gggcaacctc 600  
 acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgcgcct gccccccagc 660  
 ctggacacccc tgctgctgtc ctacaaccac attgtcacc tggcacccga ggacctggcc 720  
 aacctgactg ccctgcgcgt gcttgacgtg ggtgggaact gccgcgcgt cgacctggcc 780  
 cgcaacccct gcagggagtg ccaaagaac ttccccaagc tgcacctga caccttcagt 840  
 cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa 900  
 gattggttcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa cttcctctat 960  
 gactacatca ccaagaccac catcttcaac gacctgaccc agctgcgcag actcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttc gccacctgc acctagcgtc ctcctttggg 1080  
 agtctggtgt ccctggagaa gctggacatg cacggcatct tcttcgcgtc cctcaccaac 1140  
 atcacgctcc agtcgctgac ccggctgccc aagctccaga gtctgcatct gcagctgaac 1200  
 ttcacatcaacc agggccagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac 1260  
 ctgtcggaca accgcatcag cggagccgcg acgccagcgg ccgccctggg ggaggtggac 1320  
 agcaggggtg aagtctggcg attgcccagg ggcctcgtc caggcccgtt ggacgccgtc 1380  
 agctcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac 1440  
 aacctggtga caatccagca agagatgttt acccgctct cccgcctcca gtgcctgcgc 1500  
 ctgagccaca acagcatctc gcaggcgggt aatggctccc agttcgtgcc gctgaccagc 1560  
 ctgcgagtgc tcgacctgtc ccacaacaag ctggacctgt accatgggcg ctcattcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcggtgggc acaacctcag cttcgtggcc cagctgccct cctgcgcta cctcagcctt 1740  
 gcgcacaatg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gttgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc 1860  
 tttttcaaag gcttgaggaa cctggtccag ctggacctgt ccgagaacca tctgcacacc 1920  
 ctctgcctc gtcacctgga caacctgccc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ccttcttcaa ctggagcagc ctgacctcc tgccccggct ggaagccctg 2040  
 gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgccgcc tggcatccgg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggcttcg tgatccccgg cttcttcgtc 2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcctgggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgctc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttctgtctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt cggggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430  
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445  
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460  
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495  
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510  
 Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525  
 Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560  
 Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575  
 Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590  
 Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605  
 Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620  
 Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
 835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
 850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
                                          885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
                                          900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
                                          915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
                                          930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
                                          945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
                                          965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
                                          980                                      985                                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
                                          995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
                                          1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
                                          1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
                                          20                                      25                                      30  
  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn		
50	55	60
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp		
65	70	75 80
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp		
85	90	95
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met		
100	105	110
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu		
115	120	125
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser		
130	135	140
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro		
145	150	155 160
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly		
165	170	175
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro		
180	185	190
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr		
195	200	205
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr		
210	215	220
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu		
225	230	235 240
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg		
245	250	255
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe		
260	265	270



Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
805 810 815

Asp Cys Phe Gly  
820

<210> 15  
<211> 3391  
<212> DNA  
<213> Equus caballus

<400> 15  
ctctgttctc tgagctgttg ccgcgtgaag ggactgcgag cacaagcat cctcctctgc 60  
agctgctgcc cagtgtgcc gctggaccct ctggatcatc tccactccc tgtcatgggc 120  
ccttgccatg gtgccctgca gcccctgtct ctctgggtgc aggcggccat gctggccgtg 180  
gctctggccc aaggcaccct gctcccttc ctgccctgtg agtccagcc ccacggcctg 240  
gtgaactgca actggctgtt cctgaagtcc gtgcccact tctcagcagc agcaccgccg 300  
gacaatgtca ccagccttcc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
tttgcccaac tgtccaacct gcagaaactc aacctcaa at ggaactgccc gccagccggc 420  
ctcagcccca tgcacttccc ctgccacatg accatcgagc ccaactttt cctggctgta 480  
cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540  
agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
ctcacgggcc tgcattgccc gcgcttcc ta catggatg gcaactgcta ctacaagaac 660  
ccctgcgggc gggccctgga ggtggcccca ggccctcc ttggcctggg caacctcacc 720  
cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780  
gagtacctgc tgttgccta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
aaccctgcg tggagtgccc acataaatc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga 1020  
 tggttccgtg gcctgggcaa cctcacagtg ctcgacctga gtgagaactt cctctacgac 1080  
 tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc 1140  
 ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcgggagc 1200  
 ctgctctccc tgcaggaact ggacatgcat ggcattctct tccgctcact cagccagaag 1260  
 acgctccagc cactggcccg cctgcccatg ctccagcgtc tgtatctgca gatgaacttc 1320  
 atcaaccagg ccagctcgg catcttcaag gacttccttg gtctgcgcta catagacctg 1380  
 tcagacaacc gcatcagtgg agctgtggag ccggtggcca ccacagggga ggtggatggt 1440  
 gggaagaagg tctggctgac atccagggac ctactccag gccactgga cccccagc 1500  
 tctgaggact tcatgccaag ctgcaagaac ctgagcttca ccttggaact gtcacggaac 1560  
 aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgagc 1620  
 ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc 1680  
 ctgcagggtc tggacctgtc ccataacaaa ctggacctgt accatgggag ctcgtttacg 1740  
 gagctgccgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgagg 1800  
 ggtgtggggc acaacctcag ctttgtggcc cagctgcca ccctgcgcta cctcagcctg 1860  
 gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtgggcc 1920  
 ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc 1980  
 ttcttccaag gcctgagaag cctaattccg ctagacctgt ccagaatcg tctgcatacc 2040  
 ctctgccat gcacctggg caacctcccc aagagcttgc agctgctgag tctccgtaac 2100  
 aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcccaacct ggaaacctg 2160  
 gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag 2220  
 ctccagaggc tggacgtcag caggaacagc atcatcttcg tggtccttg cttctttgct 2280  
 ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc 2340  
 tcctggtttg gtttctagc aggtccctt gaagtccatg atgtgagcgc caacctctg 2400  
 cactgcgcct gtggggcagc ctttgtggac ttctgctgc aggttcaggc tgccgtgcct 2460  
 ggtctgcca gccgcgtcaa gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2520  
 gcacaagacc tgcgcctctg cctggacaag tcctctcctt gggactgttt tggctctctca 2580  
 ttgtgtgttg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac 2640  
 ctctggtact gctccacct gggcctggcc tggctgcccc ggcgggggtg gcagcggggc 2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
 gactgggtgt acaatgaact gcgggtgcgg ctagaggagc gccgtgggag cggggcgctc 2820  
 cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
 gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940  
 ggctctttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
 gttgtggtgc tgtaatcct gagccctgac gcccgccgtt cccgttacgt gcggctgccc 3060  
 cagcgctctt gccgccagag tgcctctctc tggccccacc agcctagtgg ccagcgcagc 3120  
 ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
 ttctgcccgg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaacct 3240  
 ccagccctga ccttgctctt ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
 tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360  
 caggccaaac agccaaaaaa aaaaaaaaaa a 3391

<210> 16

<211> 2460

<212> DNA

<213> Equus caballus

<400> 16

atgggccctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
 gccgtggctc tggcccaagg caccctgcct cccttcctgc cctgtgagct ccagccccac 120  
 ggctgggtga actgcaactg gctgttcctg aagtccgtgc cccacttctc agcagcagca 180  
 ccccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240  
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccgcga 300  
 gccggcctca gccccatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360  
 gctgtaccca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
 ctgcccagct ccctcgtgtc cctgacctg agccgcacca acatcctgca gctagacccc 480  
 accagcctca cgggcctgca tgccctgccc ttctataca tggatggcaa ctgctactac 540  
 aagaaccctt gcgggcgggc cctggagggt gccccaggcg ccctccttgg cctgggcaac 600  
 ctaccccacc tgtcactcaa gtacaacaac ctcaaacgg tgccccgcag cctgccccct 660  
 agcctggagt acctgctgtt gtctacaac cacattgtca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgcgg ctgtgaccat 780  
 gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900  
 cccagatggg tccgtggcct gggcaacctc acagtgcctg acctgagtga gaacttcctc 960  
 tacgactgca tcacaaaac caaggcattc cagggcctgg cccagctgcg aagactcaac 1020  
 ttgtccttca attaccataa gaagggtgcc ttcgcccacc tgacgctggc accctccttc 1080  
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttcgg ctactcagc 1140  
 cagaagacgc tccagccact ggccgcctg cccatgctcc agcgtctgta tctgcagatg 1200  
 aacttcacga accaggccca gctcggcatc ttcaaggact tccctgggtc gcgctacata 1260  
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320  
 gatgggtggga agaaggctctg gctgacatcc agggacctca ctccaggccc actggacacc 1380  
 cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca 1440  
 cggacaacc tggtaacagt ccagccagag atgtttgccc agctctcggc cctccagtgc 1500  
 ctgcgcctga gccacaacag catctcgagc ggggtcaatg gctcacagtt cgtgccactg 1560  
 accagcctgc aggtgctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg 1620  
 tttacggagc tgccgcgact ggagggcctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcgggggtg tgggcccaca cctcagcttt gtggcccagc tgcccaccct gcgctacctc 1740  
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgtg 1800  
 tgggcccctg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat 1860  
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgctg 1920  
 cataccctcc tgccatgcac cctgggcaac ctcccaga gcttgagct gctgcgtctc 1980  
 cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa 2040  
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc 2100  
 acccagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccctggcttc 2160  
 tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag 2220  
 gagccctcct gggttggttt cctagcaggg tcccttgaag tcctagatgt gagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggtgcc 2340  
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400  
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggt 2460

&lt;210&gt; 17

&lt;211&gt; 1029

&lt;212&gt; PRT

&lt;213&gt; Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460



Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                      935                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                      950                      955                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
                     965                      970                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
                     980                      985                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
                     995                      1000                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
                     1010                      1015                      1020  
 Gly Pro Thr Thr Ala Glu  
                     1025  
  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                      5                      10                      15  
  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
                     20                      25                      30  
  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
                     35                      40                      45  
  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
                     50                      55                      60  
  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                      70                      75                      80  
  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                     85                      90                      95  
  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn		
115	120	125
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu		
130	135	140
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr		
145	150	155
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn		
165	170	175
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly		
180	185	190
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn		
195	200	205
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu		
210	215	220
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala		
225	230	235
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg		
245	250	255
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro		
260	265	270
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu		
275	280	285
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg		
290	295	300
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr		
305	310	315
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg		
325	330	335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
                   580                  585                  590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
           595                  600                  605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
       610                  615                  620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
       625                  630                  635                  640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
                   645                  650                  655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
                   660                  665                  670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
           675                  680                  685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
       690                  695                  700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
       705                  710                  715                  720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
                   725                  730                  735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
                   740                  745                  750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
           755                  760                  765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
       770                  775                  780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
       785                  790                  795                  800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
                   805                  810                  815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> Ovis aries

<400> 19  
 gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgccca acttgcccgc 60  
 cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct 120  
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gccaggggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccg cgcttttcgg cgggagcccc cggggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt 360  
 cctcaacctc aagtggaaact gcccgcgggc cggcctcagc cccatgcact tcccctgccg 420  
 catgaccatc gagcccaaca ccttcctggc tgtgccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgaccg tgccctgcct gccagttct ctcgatatcc tgcgctgag 540  
 ccgcaccagc atcctgggtg taggcccac ccacttcacc ggctgcacg ccctgcgctt 600  
 tctgtacatg gacggcaact gctactataa gaacccctgc cagcaggccg tggaggtggc 660  
 cccaggcgcc ctccctggcc tgggcaacct caccgacctg tcgctcaagt acaacaacct 720  
 caccgaggtg ccccgcggcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgg aggaacctgg caatctgact gccctgcgtg tgcttgatgt 840  
 gggcggggaa tgccgcggct gcgaccacgc ccgcaacccc tgcaaggagc gcccaaagaa 900  
 cttccccaag ctgcacctg acaccttcag ccacctgagc cgcctogaag gcctgggtgt 960  
 gaaggacagt tctctctaca aactagagaa agactgggtc cgcggcctgg gcaggctcca 1020  
 agtgctcgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt 1140  
 cgcccacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat 1200  
 gcacggcatc ttcttccgct ccctcaccaa caccacgctc cggccgctga ccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gccgccctcg gggaggtgga cagcggggtg gaagtctggc ggtggcccag 1440

gggcctcgct ccaggcccg c tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500  
 cctcaacttc accttgacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560  
 taccgcctc tccgcctcc agtgccgtcg cctgagccac aacagcatct cgcaggcggt 1620  
 taatggctcg cagttcgtgc cgctgacccg cctgcgagtg ctcgacctgt cctacaacaa 1680  
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740  
 cagctacaac agccagccct tcagcatgca gggcggtgggc cacaacctca gcttcgtggc 1800  
 ccagctgccg tccctgcgt acctcagcct tgcgcacaaac ggcatccaca gccgcgtgtc 1860  
 acagaagctc agcagcgccct cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920  
 gatgtgggcc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctgggtcca 1980  
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040  
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100  
 cctgactgtt ctgccccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160  
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220  
 catcggttt gtgacctg gcttctttgt ccttgccaac cggtgaaag agcttaacct 2280  
 cagcgccaac gccctgaaga cagtggatcc cttctgggtc ggtcgcttaa cagagacct 2340  
 gaatatcta gacgtgagcg ccaacccgct ccactgtgcc tgcggggcg cctttgtgga 2400  
 cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460  
 tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520  
 gacctctcc ttggactgt ttggcttctc gctgctaag gtggcgctgg gcctggcggt 2580  
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640  
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700  
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760  
 gctggaggag cgcgcgggc gccgggcgt ccgcctctgc ctggaggagc gagactggct 2820  
 ccctggcaag acgctcttcg agaacctgtg ggcctcggtc tacagcagcc gtaagaccat 2880  
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc 2940  
 ccagcagcgc ctgttgagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000  
 cgctaccgg tcccgctacg tgcggctgcg ccagcgctc tgcgccaga gcgtcctcct 3060  
 ctggccccac cagccagtg gccagggtag cttctgggcc aacctgggca tggccctgac 3120  
 cagggacaac cgccacttct ataaccggaa cttctgcgg ggcgccaga cagccgaata 3180



gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 20

atggggcccct actgtgcccc gcacccccctt tctctcctgg tgcaggcggc ggcgctggca	60
gcagccctgg cccagggcac cctgcctgcc ttctgccct gtgagctcca gcccgggggt	120
aaggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagcccc	180
cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcacgactct	240
gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaactg cccgccggcc	300
ggcctcagcc ccattgcactt cccctgccgc atgaccatcg agcccaacac ctctctggct	360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgcctg	420
cccagttctc tcgtatccct gtctgtgagc cgcaccagca tcctgggtgt agggccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag	540
aaccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgcgcct gccccacgc	660
ctggacaccc tgctgtgtc ctacaaccac atcatcacc tggcaccga ggacctggcc	720
aatctgactg ccctgcgtgt gcttgatgtg ggcggaact gccgcgctg cgaccacgcc	780
cgcaaccct gcagggagtg cccaaagaac ttccccaagc tgcacctga caccttcagc	840
cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa	900
gactggttcc ggggcctggg caggctccaa gtgtctgacc tgagtgagaa ctctctctat	960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg	1080
ggcctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctaccaac	1140
accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac	1200
ttcatcaacc aggcgagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac	1260
ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac	1320
agcgggggtg aagtctggcg gtggccagg gccctgcctc caggcccgct ggccgcgctc	1380
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggaact gtcacggaac	1440
aacctggtga cgatccagca ggagatgttt accgcctct cccgcctcca gtgcctgcgc	1500

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgacccgc 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtggggc acaacctcag cttcgtggcc cagctgccgt ccctgcgcta cctcagcctt 1740  
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgcc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgcccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccggg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgaccttggt cttctttgtc 2160  
 cttgccaaac ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatactag acgtgagcgc caaccgctc 2280  
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcgcgtcac gtgtggcagt ccggggccagc tccagggccg cagcatcttc 2400  
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21

<211> 1032

<212> PRT

<213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
                           325                          330                          335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
                           340                          345                          350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
                           355                          360                          365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
                           370                          375                          380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
                           385                          390                          395                          400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
                           405                          410                          415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
                           420                          425                          430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
                           435                          440                          445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
                           450                          455                          460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
                           465                          470                          475                          480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
                           485                          490                          495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
                           500                          505                          510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
                           515                          520                          525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
                           530                          535                          540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

545	550	555	560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu	565	570	575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg	580	585	590
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser	595	600	605
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg	610	615	620
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn	625	630	635
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser	645	650	655
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp	660	665	670
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly	675	680	685
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln	690	695	700
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro	705	710	715
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala	725	730	735
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly	740	745	750
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys	755	760	765
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro	770	775	780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
 805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
 820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
 835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
 850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
 900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
 915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430



Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660                                      665                                      670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
           675                                      680                                      685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
           690                                      695                                      700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
 705                                      710                                      715                                      720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
                                     725                                      730                                      735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
                                     740                                      745                                      750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
                                     755                                      760                                      765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
                                     770                                      775                                      780  
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785                                      790                                      795                                      800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
                                     805                                      810                                      815  
 Ser Trp Val Cys Phe Ser  
                                     820

<210> 23  
 <211> 3334  
 <212> DNA  
 <213> Canis familiaris

<400> 23  
 aggaaggggc tgtgagctcc aagcatcctt tcctgcagct gctgcccagc ctgccagcca 60  
 gacctcttgg agaagcccc gtcacctgtc atgggcccct gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtgcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180  
 gccttcctgc cctgtgagct ccagcccat ggcttggtga actgcaactg gctgttcctc 240  
 aagtccgtgc cccgcttctc ggcagctgca ccccgcggtg acgtcaccag cctttccttg 300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtggaa ctgcccggcc gccagcctca gcccacatgca ctttcctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcca ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccggc ctgcccagtt cgcttggtgc cctgtccctg	540
agccgcacca acatcctggg gctggaccct gccaccctgg caggccttta tgccctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaaccct gccagcaggc cctgcaggtg	660
gcccaggtg cctcctggg cctgggcaac ctacacacc tgtcactcaa gtacaacaac	720
ctcaccgtgg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtcctacaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgctctgat	840
gtgggtggga actgtcgccg ctgtgaccat gcccgtaacc cctgcaggga gtgcccgaag	900
ggcttcccc agctgcacc caacaccttc ggccacctga gccacctga aggcctggg	960
ttgagggaca gctctctcta cagcctggac ccaggtggg tccatggcct gggcaacctc	1020
atggtgctgg acctgagtga gaacttcctg tatgactgca tcaccaaacc caaagccttc	1080
tacggcctgg ccggtgcg cagactcaac ctgtccttca attatcataa gaagggtgtc	1140
tttgcccacc tgcatctggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggca tcttcttccg ctgctcagc aagaccagc tccagtcgt ggccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc	1320
ttcgggcct tccctggact gcggtacgtg gacttgctag acaaccgcat cagtggagct	1380
gcagagcccg cggctgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtcccggg accttgctct gggcccactg ggcaaccccg gctcagaggc cttcatgccg	1500
agctgcagga ccctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggt ggcgcgctc cagtgcctgg gcctgagcca caacagcatc	1620
tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcggtca cggagctgcc gcggtggag	1740
gccttggacc tcagctacaa cagccagccc ttcagcatgc gggcggtggg ccacaatctc	1800
agctttgtgg cacagctgcc agccctgcgc tacctcagcc tggcgacaaa tggcatccac	1860
agccgcgtgt ccagcagct cgcagcgcc tcgctccggg ccctggactt cagtggcaat	1920
accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctgggtc agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct ggggtcctg cggtccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctaccaag ctggaagccc tggacctggc gggaaaccag 2160  
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220  
agcggcaaca gcacggcctt cgtggtcccc agcttttttg ccttgccgt gaggttcga 2280  
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctggtt tggttccctg 2340  
gcggtgccc tgaaagtctt agacgtgacc gccaaccctt tgcattgcgc ttgcggcgca 2400  
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460  
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520  
tgcctggacg aagcgtcttc ctgggtctgt ttcagcctct cgtgctggc tgtggccctg 2580  
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640  
ctgtgcctgg cctggctgcc ccggcggggg cgggcgggg gtgtggatgc cctggcctat 2700  
gacgccttcg tggcttcga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760  
ctgcgggtac agctagagga gcgcgtggg cgccgggggc tacgcctgtg tctggaggaa 2820  
cgtgactggg taccggcaa aaccctcttc gagaacctct gggcctcagt ttacagcagc 2880  
cgcaagacgc tgtttgtgct ggccgcacg gacagagtca gcggcctcct gcgtgccagc 2940  
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggg gctggtgatc 3000  
ctgtgccccg acgcccaccg ctcccgctat gtgcggctgc gccagcgcct ctgccgccag 3060  
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120  
acggccctga ccagggacaa ccggcacttc tacaaccaga acttctgccg gggccccacg 3180  
acagcctgat aggcagacag ccagcacct tcgcgcccct acaccctgcc tgtctgtctg 3240  
ggatgcccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agccctggca 3300  
taaagcgacc gctcaataaa tgctgctggg agac 3334

&lt;210&gt; 24

&lt;211&gt; 2466

&lt;212&gt; DNA

&lt;213&gt; Canis familiaris

&lt;400&gt; 24

atggggccct gccgtggcg cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgcta 60  
gccctggccc tggcccaggg caccctgcct gccttctgc cctgtgagct ccagcccat 120  
ggcctggtga actgcaactg gctgttcttc aagtccgtgc ccgcttctc ggcagctgca 180  
ccccgcgga acgtcaccag ctttctcttg tactccaacc gcatccacca cctccatgac 240  
tatgactttg tccacttcgt ccacctgcgg cgtctcaatc tcaagtggaa ctgcccggcc 300

gccagcctca gcccacatgca ctttcctgt cacaatgacca ttgagcccaa caccttcctg 360  
 gctgtgcca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420  
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggt gctggaccct 480  
 gccaccctgg caggccttta tgccctgccc ttctgttcc tggatggcaa ctgctactac 540  
 aagaaccctt gccagcaggc cctgcagggt gcccagggt cctcctggg cctgggcaac 600  
 ctcacacacc tgtcactcaa gtacaacaac ctcaccgtgg tgccgcgggg cctgcccccc 660  
 agcctggagt acctgtctt gtctacaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaatctga ctgcccctgg tgtcctcgat gtgggtggga actgtcgccg ctgtgaccat 780  
 gcccgtaacc cctgcaggga gtgccccaa ggcttcccc agctgcacc caacaccttc 840  
 ggccacctga gccacctga aggcctgggt ttgagggaca gctctctcta cagcctggac 900  
 cccagggtgt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960  
 tatgactgca tcacaaaaac caaagccttc tacggcctgg ccggtcgcg cagactcaac 1020  
 ctgtccttca attatcataa gaagggtgtc ttgcccacc tgcatctggc atcctccttc 1080  
 gggagcctac tgtcccctga ggagctggac atacatggca tcttcttccg ctgctcagc 1140  
 aagaccacgc tccagtcgct ggccacctg cccatgctcc agcgtctgca tctgcagttg 1200  
 aactttatca gccaggccca gctcagcatc ttccggcct tccctggact gcggtacgtg 1260  
 gacttgctag acaaccgcat cagtggagct gcagagccc cggtgcccac aggggaggta 1320  
 gaggcagact gtggggagag agtctggcca cagtcccggg acctgtctct gggccactg 1380  
 ggccccccg gctcagaggc cttcatggc agctgcagga cctcaactt caccttgac 1440  
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgctc 1500  
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
 cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620  
 cgctcgttca cggagctgcc gcggctggag gccttgacc tcagctacaa cagccagccc 1680  
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agcctgccc 1740  
 tacctcagcc tggcgcacaa tggcatccac agccgcgtgt cccagcagct ccgcagcgcc 1800  
 tcgctccggg ccttggaact cagtggcaat accctgagcc agatgtgggc cgaggagac 1860  
 ctctatctcc gcttcttcca aggcctgaga agcctgggtc agctggacct gtccagaat 1920  
 cgctgcata cctcctgcc acgcaacctg gacaacctc ccaagagcct gcggctcctg 1980  
 cggctccgtg acaattacct ggcttcttc aactggagca gcctggcct cctaccaag 2040

```

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100
aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggtt cgtgggtcccc 2160
agcttttttg ccctggcgtt gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220
acggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtctt agacgtgacc 2280
gccaaccctt tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340
gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400
cgcagcatct tcgcacagga cctgcgcctc tgcttgagc aagcgtctc ctgggtctgt 2460
ttcagc 2466

```

```

<210> 25
<211> 1031
<212> PRT
<213> Felis catus

```

```

<400> 25

```

```

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
          20           25           30

```

```

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
          35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

```

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
          85           90           95

```

```

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
          100          105          110

```

```

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115           120           125

```

```

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130           135           140

```

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe



610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635 640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650 655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665 670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680 685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	695 700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
	705	710 715 720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730 735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745 750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760 765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775 780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
	785	790 795 800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810 815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825 830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725                      730                      735  
 Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu  
                     740                      745                      750  
 Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala  
                     755                      760                      765  
 Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
                     770                      775                      780  
 Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
                     785                      790                      795                      800  
 Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
                     805                      810                      815  
 Asp Cys Phe Gly  
                     820

<210> 27  
 <211> 3235  
 <212> DNA  
 <213> Felis catus

<400> 27  
 aggggtctgag agctccaggc attcttctct gccatcgctg cccagtctgc catccagacc 60  
 ctctggagaa gccccactc cctgtcatgg gcccctgcc tggcgccctg cccccctgt 120  
 ctctcctggt gcaggctgcc gcgctggcgg tggccctggc ccagggcacc ctgcctgcct 180  
 ttctgccttg tgagctccag cgccacggcc tgggtgaattg cgactggctg ttctcaagt 240  
 ccgtgccccca cttctcggcg gcagcgcccc gtggtaacgt caccagcctt tccctgtact 300  
 ccaaccgcat ccaccacctc cagactccg actttgtcca cctgtccagc ctgcggcgctc 360  
 tcaacctcaa atggaactgc ccaccgcca gcctcagccc catgcacttc cctgtcaca 420  
 tgaccattga gcccacacc ttctggcgg tgccaccct ggaggagctg aacctgagct 480  
 acaacagcat cagcacagta ccgcccctgc ccagttccct cgtgtccctg tccttgagcc 540  
 gtaccaacat cctggtgctg gaccctgcc acctcgcagg gctgcactcc ctgcgctttc 600  
 tgttcctgga tggcaactgc tactacaaga acccctgccc gcaggccctg caggtggccc 660  
 cgggcgcccct ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720  
 ctgcggtgcc ccgcgccctg cccccagcc tggagtacct gctattgtcc tacaaccaca 780

tcatcacctt	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaacccctg	tatggagtgc	cccaagggct	900
tcccgacact	gcacctgac	accttcagcc	acctgaacca	cctcgaaggc	ctgggtgtga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgctcg	ctcagcgaga	ccacgctccg	gtcgctggtc	cacctgcccc	1260
tgctccagag	tctgcacctg	cagatgaact	tcatcaatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgctagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	gggcccaccg	ggcacccta	gctccgaggg	cttcattgcca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgcccggt	ctcgcgcctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgctgacca	gcctgcaggt	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggtgggag	gccttggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcggtgg	tcacaacctc	agctttgtgg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tggcgcacaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgctgcggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgaggagagc	ctgtatctcc	acttcttccg	aggcctgagg	agcctggtcc	1980
ggttggatct	gtcccagaat	cgctgcata	ccctcttgcc	acgcacctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgtctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tgacactggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgcc	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgccaa	cgccctcaag	acgggtggagc	cctcctgggt	cggttctcta	gcgggcaccc	2340
tgaagtcct	agatgtgact	ggcaaccccc	tgactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggtea	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgctggatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgctgctgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttccac ctgtgcctgg 2640  
 cctggctgcc cggcgggggg cggcgggggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttca caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga gcgcgctgga cgccgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 taccggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggccacaca gacagggta gcggcctctt gcgcgccagc tttctgctgg 2940  
 ccagcagcg cctgctggag gaccgcaagg acgttgtggg gctggatgc ctgcgccccg 3000  
 acgcccaccg ctcccgctat gtgcggctgc gccagcgcct ctgccgccag agcgtcctcc 3060  
 tctggcccga ccagcccagt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggcccccacg acggcagagt 3180  
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28  
 <211> 2460  
 <212> DNA  
 <213> Felis catus

<400> 28  
 atgggcccct gccatggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcctgggtga attgcgactg gctgttcttc aagtccgtgc ccacttctc ggcggcagcg 180  
 ccccgctggta acgtcaccag cttttccctg tactccaacc gcatccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattggaa ctgcccaccc 300  
 gccagcctca gcccctgca cttcccctgt cacatgacca ttgagcccca caccttctctg 360  
 gccgtgcccc cctggagga gctgaacctg agctacaaca gcatcacgac agtaccgcgc 420  
 ctgcccagtt ccctcgtgtc cctgtccttg agccgtacca acatcctggg gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540  
 aagaacccct gcccgaggc cctgcagggt gcccggggcg ccctccttgg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgccccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgcctcgc tgtgctgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgcaacc cctgtatgga gtgcccgaag ggcttcccg cactgcaccc tgacaccttc 840  
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900



```

cccagatggt tccatgccct gggcaacctc atggtgctgg acctgagtga gaacttccta      960
tatgactgca tcaccaaacc cacagccttc cagggcctgg ccagctgcg cagactcaac      1020
ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcattctggc gccctccttc      1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttccg ctogctcagc      1140
gagaccacgc tccggtcgct ggtccacctg cccatgctcc agagtctgca cctgcagatg      1200
aacttcatca atcaggccca gctcagcatc ttcggggcct tccctggcct gcgatacgtg      1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg      1320
gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc      1380
cctagctccg agggcttcat gccaggctgc aagacctca acttcacctt ggacctgtca      1440
cggaacaacc tagtgacaat ccagccagag atgtttgccc ggctctcgcg cctccagtgc      1500
ctgctcctga gccgcaacag catctcgagc gcagtcaacg gctcacaatt tatgccgctg      1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct      1620
ttcacggagc tgccgcggtt ggaggccctg gacctcagct acaacagcca gcccttcagc      1680
atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc      1740
agcctggcgc acaacgacat ccacagccgt gtgtcccagc agctctgcag cgcctcgctg      1800
cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat      1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtcca gaatcgctg      1920
cataccctct tgccacgcac cctggacaac ctccccaaga gcctgcggct gctgcgtctc      1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa      2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattga      2100
accagctcc agaggtgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt      2160
tttgctctgg ccaccaggct gcgagagctc aacctcagtg ccaacgccct caagacggtg      2220
gagccctcct ggttcgggtt tctagcgggc accctgaaag tcctagatgt gactggcaac      2280
cccctgcact gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcaggctgca      2340
gtgcccggcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc      2400
atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc      2460

```

&lt;210&gt; 29

&lt;211&gt; 1032

&lt;212&gt; PRT

&lt;213&gt; Mus musculus

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr	Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg					
	245			250		255
Arg Cys Asp His	Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser					
	260		265			270
Leu His Leu His	Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly					
	275		280			285
Leu Val Leu Lys	Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe					
	290		295		300	
Gln Gly Leu Val	Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu					
305		310		315		320
Tyr Glu Ser Ile	Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu					
	325		330			335
Arg Lys Leu Asn	Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala					
	340		345			350
Arg Leu His Leu	Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu					
	355		360			365
Leu Asn Met Asn	Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu					
	370		375			380
Arg Trp Leu Ala	Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met					
385		390		395		400
Asn Phe Ile Asn	Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala					
	405		410			415
Leu Arg Phe Val	Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr					
	420		425			430
Leu Ser Gly Ala	Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu					
	435		440			445
Leu Leu Ser Ala	Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser					
	450		455			460

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575



Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31  
<211> 3200  
<212> DNA  
<213> Mus musculus

<400> 31  
tgtcagaggg agcctcggga gaatcctcca tctcccaaca tggttctccg tcgaaggact 60  
ctgcacccct tgtccctcct ggtacaggct gcagtgctgg ctgagactct ggccttgggt 120  
accctgcttg ccttcctacc ctgtgagctg aagcctcatg gcctgggtga ctgcaattgg 180  
ctgttcctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcacccgc 240  
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc 300  
aacctgcggc agctgaacct caagtggaaac tgtccacca ctggccttag ccccttgcaac 360  
ttctcttgcc acatgaccat tgagcccaga accttcctgg ctatgcttac actggaggag 420  
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat 480  
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac 540  
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaacccttg cacaggagcg 600  
gtgaagggtga cccagggcgc cctcctgggc ctgagcaatc tcacccatct gtctctgaag 660  
tataacaacc tcacaaaggt gccccgcaa ctgccccca gcctggagta cctcctgggtg 720  
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga 780  
gtacttgatg tgggtgggaa ttgccgtcgc tgcgacctg cccccaatcc ctgtatagaa 840  
tgtggccaaa agtccttcca cctgcacct gagaccttc atcacctgag ccatctggaa 900  
ggcctgggtg tgaaggacag ctctctccat aactgaact cttcctgggt ccaagggtctg 960  
gtcaacctct cgggtgctga cctaagcgag aactttctct atgaaagcat caaccacacc 1020  
aatgcctttc agaacctaac ccgctgcgc aagctcaacc tgtccttcaa ttaccgcaag 1080  
aaggatccct ttgcccgcct ccacctggca agttccttca agaacctgggt gtcactgcag 1140  
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg 1200  
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag 1260  
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc 1320  
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag 1380  
gagctgttgt ctgcggatcc tcaccagct ccactgagca cccctgcttc taagaacttc 1440

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgcctccagt gtcttagcct gagccacaac	1560
tccattgcac aggetgtcaa tggctctcag ttcttgccgc tgactaatct gcaggtgctg	1620
gacctgtccc ataacaaact ggacttgtag cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggcccgcg gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatatcct ccggccccag	1980
aaccttgaca acctcccca gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttctcg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggccctgac caatggcacc ctgcctaata gcacctcct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggcctaat	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtggtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgcccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgccgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacagg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctggtggaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggt	3180
tcccagttg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtg 60  
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120  
 ggctggtgg actgcaattg gctgttcctg aagtctgtac ccgtttctc tgcggcagca 180  
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgctg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480  
 aacagcctcg ccggcctata cagcctgctg gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctc gcacaggagc ggtgaagggtg acccaggcg ccctcctggg cctgagcaat 600  
 ctcaccatc tgtctctgaa gtataacaac ctcaaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggt gtcctataac ctcatgtca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtccctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggctggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttctggt tccaaggctc ggtcaacctc tcggtgctgg acctaacgga gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa ccgcctgctg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggtatcc tttgcccgc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140  
 aagtacacgc tcagatggct ggccgatctg cccaaactcc acactctgca tcttcaaatg 1200  
 aacttcacat accaggcaca gctcagcatc tttggtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggctc tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcgatc ctcaccagc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggtgtca atggctctca gttcctgccc 1560

```

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccaactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgaggtttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860
tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
gaagtcctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100
ggcacccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cagtctctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
aagggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

<210> 33  
 <211> 1032  
 <212> PRT  
 <213> Homo sapiens

<400> 33

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20           25           30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                                   100                                  105                                  110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                                   115                                  120                                  125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
                                   130                                  135                                  140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
                                   145                                  150                                  155                                  160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
                                   180                                  185                                  190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                                   195                                  200                                  205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
                                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
                                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
                                   260                                  265                                  270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
                                   275                                  280                                  285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
                                   290                                  295                                  300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305		310		315		320
Tyr Lys Cys Ile Thr	Lys Thr Lys Ala Phe Gln Gly Leu Thr	Gln Leu				
	325		330			335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala						
	340		345			350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu						
	355		360			365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu						
	370		375			380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met						
	385		390			395
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly						
	405		410			415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu						
	420		425			430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu						
	435		440			445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu						
	450		455			460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser						
	465		470			475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser						
	485		490			495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val						
	500		505			510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu						
	515		520			525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu						
	530		535			540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780



Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420                                      425                                      430  
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu  
           435                                      440                                      445  
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu  
           450                                      455                                      460  
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser  
           465                                      470                                      475                                      480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
                                   485                                      490                                      495  
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val  
                                   500                                      505                                      510  
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu  
                                   515                                      520                                      525  
 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu  
                                   530                                      535                                      540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
                                   545                                      550                                      555                                      560  
 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
                                   565                                      570                                      575  
 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
                                   580                                      585                                      590  
 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
                                   595                                      600                                      605  
 Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
                                   610                                      615                                      620  
 Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
                                   625                                      630                                      635                                      640  
 His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
                                   645                                      650                                      655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala  
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta ctctctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat ccttccctgt agctgctgtc cagtctgccc gccagaccct 120

ctggagaagc ccttgccccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180

ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctggt cctgaagtct 300

gtgccccact tctccatggc agcaccctgt ggcaatgtca ccagcctttc cttgtcctcc 360  
 aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc 420  
 aacctcaagt ggaactgccc gccggttgcc ctcagcccca tgcacttccc ctgccacatg 480  
 accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac 540  
 aacaacatca tgactgtgcc tgcgtgccc aaatccctca tatccctgtc cctcagccat 600  
 accaacatcc tgatgctaga ctctgccagc ctgcgcggcc tgcattgccct gcgcttccta 660  
 ttcattggacg gcaactgtta ttacaagaac ccttcgagcc aggcactgga ggtggccccg 720  
 ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact 780  
 gtggtgcccc gcaacctgcc ttccagcctg gattatctgc tgttgccta caaccgcatc 840  
 gtcaaactgg cgcctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc 900  
 ggaaattgcc gccgctgcga ccacgctccc aaccctgca tggagtgcct tcgtcacttc 960  
 cccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag 1020  
 gacagtcttc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt 1080  
 ctggacctga gtgagaactt cctctacaaa tgcattacta aaaccaaggc cttccagggc 1140  
 ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc 1200  
 cacctgtctc tggccccttc cttcgggagc ctggtcgcct tgaaggagct ggacatgcac 1260  
 ggcattctct tccgctcact cgatgagacc acgctccggc cactggcccc cctgcccatg 1320  
 ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg 1380  
 gccttcctct gctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag 1440  
 ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac 1500  
 cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc 1560  
 ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt 1620  
 gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc 1680  
 aatggctccc agttcctgcc gctgaccggt ctgcaggtgc tagacctgtc ccgcaataag 1740  
 ctggacctct accacgagca ctcatcacg gagctaccgc gactggaggc cctggacctc 1800  
 agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttcgtggct 1860  
 cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc 1920  
 cagcagctct gcagtacgtc gctgcgggcc ctggacttca gcggcaatgc actgggcat 1980  
 atgtggggcc agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg 2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaacctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggc ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tcctggtttg ggccccctggc gagtgccttg 2400  
 caaatactag atgtaagcgc caacctctg cactgcgctt gtggggcggc ctttatggac 2460  
 ttctgctgg aggtgcaggc tgccgtgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccgggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctcct gggactgttt cgccctctcg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttctgtgtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggagtgcg tgggcgctgg gcactccgcc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gaaaaacct ctttgagaac ctgtgggcct cggctctatgg cagccgcaag 2940  
 acgtgtttg tgetggcca cacggaccgg gtcagtggc tcttgcgcg cagcttcttg 3000  
 ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tgggtgctgg gatcctgagc 3060  
 cctgacggcc gccgctcccg ctacgtgcgg ctgcgccagc gcctctgccg ccagagtgtc 3120  
 ctctctggc cccaccagcc cagtggtcag cgcagcttct gggcccagct gggcatggcc 3180  
 ctgaccagg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggcttgacc ctccccctg cgcctccctc accccacacc tgacacagag ca 3352

&lt;210&gt; 36

&lt;211&gt; 2460

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 36

atgggtttct gccgcagcgc cctgcacccg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgaccc tggccctggg taccttgctt gccttcttac cctgtgagct ccagccccac 120  
 ggctggtga actgcaactg gctgttcttg aagtctgtgc ccacttctc catggcagca 180  
 ccccgctggc atgtcaccag ctttctcttg tctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg 300  
 gttggcctca gcccacatgca cttcccctgc cacatgacca tcgagcccag caccttcttg 360  
 gctgtgcccc ccttgggaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg 420  
 ctgccccaaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct 480  
 gccagcctcg cgggcctgca tgccctgcgc ttcctattca tggacggcaa ctgttattac 540  
 aagaaccctt gcaggcaggc actggagggtg gccccgggtg cctccttgg cctgggcaac 600  
 ctaccccacc tgtcactcaa gtacaacaac ctactgtgg tgccccgcaa cctgccttcc 660  
 agcctggagt atctgctgtt gtcctacaac cgcctgtca aactggcgcc tgaggacctg 720  
 gccaatctga ccgccctgcg tgtgctcgat gtgggcggaa attgccgcg ctgcgaccac 780  
 gctcccaacc cctgcatgga tgccctcgt cacttcccc agctacatcc cgataccttc 840  
 agccacctga gcgctctga aggcctggtg ttgaaggaca gttctctctc ctggctgaat 900  
 gccagtgggt tccgtgggct gggaaacctc cgagtgtgg acctgagtga gaacttcctc 960  
 taaaaatgca tactaaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac 1020  
 ctgtccttca attacaaaa gaggggtgtc tttgccacc tgtctctggc ccttccttc 1080  
 gggagcctgg tcgccctgaa ggagctggac atgcacggca tcttcttcg ctactcgat 1140  
 gagaccacgc tccggccact ggccgcctg cccatgctcc agactctgcg tctgcagatg 1200  
 aacttcatca accaggccca gctcggcatc ttcagggcct tccctggcct gcgtacgtg 1260  
 gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca 1320  
 gatggagggg agaaggctctg gctgcagcct ggggaccttg ctccggcccc agtggacact 1380  
 cccagctctg aagacttcag gcccaactgc agcacctca acttcacctt ggatctgtca 1440  
 cggaacaacc tggtgacctg gcagccggag atgtttgcc agctctcgca cctgcagtgc 1500  
 ctgcgctga gccacaactg catctcgag gcagtcaatg gctcccagtt cctgccgctg 1560  
 accggtctgc aggtgctaga cctgtcccg aataagctgg acctctacca cgagcactca 1620  
 ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc 1680  
 atgcagggcg tgggccacaa cttcagcttc gtggctcacc tgcgaccct gcgccacctc 1740  
 agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgctg 1800  
 cgggccctgg acttcagcgg caatgcactg ggccatatgt gggccgaggg agacctctat 1860  
 ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgtccca gaaccgcctg 1920  
 cacacctcc tgccccaaac cctgcgcaac ctccccaga gcctacaggt gctgcgtctc 1980  
 cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttcctgcc caaactggaa 2040



gtcctcgacc tggcaggaaa ccggetgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtccc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttggggc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttcctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcacia a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgctgctttt gtcgttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys  
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                  25                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                  5                  10                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                  25                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid



<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

```
<400> 70
tccaggactt ctctcaggtt                20
```

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ BLACK BORDERS

☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☐ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☒ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☐ LINES OR MARKS ON ORIGINAL DOCUMENT

☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)